BEST
BASE ENGINEERING SUPPORT, TECHNICAL

EMERGENCY/SERVICE MODULE

USERS MANUAL

DTIC
ELECTE
APR 27 1989
S
D

WRITTEN FOR MICROCOMPUTERS, USING MICROFOCUSTM COBOL AND BTRIEVE

VERSION 1.0

AUGUST 1987

89   4   26   108

50272-101

REPORT DOCUMENTATION PAGE	1. REPORT NO. DOD/SW/DK-89/013a	2.	3. Recipient's Accession No.
4. Title and Subtitle Emergency/Service Users Manual Written for Microcomputers, Using Microfocus^{tm} Cobol and Btrieve.			5. Report Date Prepared August 1987
7. Author(s) Civil Engineer Support Office, Code 1523			8. Performing Organization Rept. No. N/A
9. Performing Organization Name and Address Civil Engineer Support Office Naval Construction Battalion Center Port Hueneme, CA 93043-5000			10. Project/Task/Work Unit No. N/A
			11. Contract(C) or Grant(G) No. (C) N/A (G) N/A
12. Sponsoring Organization Name and Address Naval Facilities Engineering Command 200 Stovall Street Alexandria, VA 22332			13. Type of Report & Period Covered Microcomputer Software Users Manual
			14.

15. Supplementary Notes

This document is pending Certification of Review in accordance with SECNAVINST 5600.6.A.

For diskettes, see:

16. Abstract (Limit: 200 words)

The Emergency/Service (E/S) Module Users Manual describes the special operating constraints, capabilities, and the rules for use of the Emergency/Service system from the operator's viewpoint.

Emergency work usually requires immediate attention in order to prevent loss or damage to government property, or is needed to restore essential services and/or eliminate hazards. Service work is generally minor in scope and can be accomplished in 16 hours or less. Based upon input from the E/S work reception desk, the system prints out work orders for the performing shop.

The E/S Module supports all efforts associated with managing an E/S operation. It provides rapid work request processing and data retrieval ability, performs statistical analysis on E/S work orders, facilitates the use of Engineered Performance Standards (EPS), and generates E/S management analysis reports on demand.

17. Document Analysis a. Descriptors

N/A

b. Identifiers/Open-Ended Terms

Base Engineering Support, Technical (BEST)
Emergency/Service (E/S)
Engineered Performance Standards (EPS)

c. COSATI Field/Group N/A

18. Availability Statement Release unlimited	19. Security Class (This Report) Unclassified	21. No. of Pages 99
	20. Security Class (This Page) Unclassified	22. Price A05 $15.95

| (See ANSI–Z39.18) | See Instructions on Reverse | OPTIONAL FORM 272 (4–77) (Formerly NTIS–35) Department of Commerce |

DO NOT PRINT THESE INSTRUCTIONS AS A PAGE IN A REPORT

INSTRUCTIONS

Optional Form 272, Report Documentation Page is based on Guidelines for Format and Production of Scientific and Technical Reports, ANSI Z39.18–1974 available from American National Standards Institute, 1430 Broadway, New York, New York 10018. Each separately bound report—-for example, each volume in a multivolume set—shall have its unique Report Documentation Page.

1. **Report Number.** Each individually bound report shall carry a unique alphanumeric designation assigned by the performing organization or provided by the sponsoring organization in accordance with American National Standard ANSI Z39.23–1974, Technical Report Number (STRN). For registration of report code, contact NTIS Report Number Clearinghouse, Springfield, VA 22161. Use uppercase letters, Arabic numerals, slashes, and hyphens only, as in the following examples: FASEB/NS–75/87 and FAA/RD–75/09.

2. **Leave blank.**

3. **Recipient's Accession Number.** Reserved for use by each report recipient.

4. **Title and Subtitle.** Title should indicate clearly and briefly the subject coverage of the report, subordinate subtitle to the main title. When a report is prepared in more than one volume, repeat the primary title, add volume number and include subtitle for the specific volume.

5. **Report Date.** Each report shall carry a date indicating at least month and year. Indicate the basis on which it was selected (e.g., date of issue, date of approval, date of preparation, date published).

6. **Sponsoring Agency Code.** Leave blank.

7. **Author(s).** Give name(s) in conventional order (e.g., John R. Doe, or J. Robert Doe). List author's affiliation if it differs from the performing organization.

8. **Performing Organization Report Number.** Insert if performing organization wishes to assign this number.

9. **Performing Organization Name and Mailing Address.** Give name, street, city, state, and ZIP code. List no more than two levels of an organizational hierarchy. Display the name of the organization exactly as it should appear in Government indexes such as Government Reports Announcements & Index (GRA & I).

10. **Project/Task/Work Unit Number.** Use the project, task and work unit numbers under which the report was prepared.

11. **Contract/Grant Number.** Insert contract or grant number under which report was prepared.

12. **Sponsoring Agency Name and Mailing Address.** Include ZIP code. Cite main sponsors.

13. **Type of Report and Period Covered.** State interim, final, etc., and, if applicable, inclusive dates.

14. **Performing Organization Code.** Leave blank.

15. **Supplementary Notes.** Enter information not included elsewhere but useful, such as: Prepared in cooperation with . . . Translation of . . . Presented at conference of . . . To be published in . . . When a report is revised, include a statement whether the new report supersedes or supplements the older report.

16. **Abstract.** Include a brief (200 words or less) factual summary of the most significant information contained in the report. If the report contains a significant bibliography or literature survey, mention it here.

17. **Document Analysis.** (a). Descriptors. Select from the Thesaurus of Engineering and Scientific Terms the proper authorized terms that identify the major concept of the research and are sufficiently specific and precise to be used as index entries for cataloging.

    (b). Identifiers and Open-Ended Terms. Use identifiers for project names, code names, equipment designators, etc. Use open-ended terms written in descriptor form for those subjects for which no descriptor exists.

    (c). COSATI Field/Group. Field and Group assignments are to be taken from the 1964 COSATI Subject Category List. Since the majority of documents are multidisciplinary in nature, the primary Field/Group assignment(s) will be the specific discipline, area of human endeavor, or type of physical object. The application(s) will be cross-referenced with secondary Field/Group assignments that will follow the primary posting(s).

18. **Distribution Statement.** Denote public releasability, for example "Release unlimited", or limitation for reasons other than security. Cite any availability to the public, with address order number and price, if known.

19. & 20. **Security Classification.** Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED).

21. **Number of pages.** Insert the total number of pages, including introductory pages, but excluding distribution list, if any.

22. **Price.** Enter price in paper copy (PC) and/or microfiche (MF) if known.

BASE ENGINEERING SUPPORT, TECHNICAL (BEST)

EMERGENCY/SERVICE MODULE

USERS MANUAL

WRITTEN FOR MICROCOMPUTERS, USING

MICROFOCUS™, COBOL, AND

BTRIEVE™

VERSION 1.0

CERTIFICATION OF REVIEW

Reviewed and approved _____, 19__
in accordance with SECNAVINST 5600.16A.

_____
(Signature)

PREPARED BY
Civil Engineer Support Office
Naval Construction Battalion Center
Port Hueneme, CA   93043-5000
for
Naval Facilities Engineering Command
200 Stovall Street
Alexandria, VA   22332-2300

The Emergency/Service (E/S) Module is designed for the Public Works Departments receiving the Base Engineering Support, Technical (BEST) System.

The E/S Module supports all efforts associated with managing an E/S operation. It provides work request processing and data retrieval ability, performs statistical analysis on E/S work orders, facilitates the use of Engineered Performance Standards (EPS), and generates E/S management analysis reports on demand.

Table of Contents

Table of Contents (Cont)

FOREWORD

Each program of the Base Engineering Support, Technical (BEST) is designed to meet a specific functional need. This documentation outlines operating behavior, data entry, processing logic, and the reports which can be extracted for use by all levels of management.

The <u>Emergency/Service Module Users Manual</u> describes the special operating constraints and capabilities, and the rules for the use of the emergency/ service system are explained from the operator's viewpoint.

The <u>Emergency/Service Module Program Maintenance Manual</u> lists all available data fields and specific details about each one.

The <u>Emergency/Service System Notes Manual</u> provides the philosophy of the microcomputer concept and shows installation and system considerations.

Suggestions for improvements to the BEST Emergency/Service Module may be addressed to the Commanding Officer, Code 1523, Civil Engineer Support Office, Naval Construction Battalion Center, Port Hueneme, California 93043-5000.

CHAPTER 1.   STARTING

1.1 LOGGING ON.   As of Release 1.0 of the Emergency/Service (E/S) Module, a
user ID or password is not in use. The user merely enters the word "EMPG01"
and presses <Return> at the DOS prompt to invoke the E/S User module menu or
enters "EMPG02" and presses <Return> to invoke the Support module menu. Consult
the Emergency/Service System Notes Manual for more detail.

1.2 SCREEN NUMBER TO INDICATE SUBMODULE. All screens are uniquely numbered to
help the operator learn the E/S module. The screen number will indicate in
which part of the module the operator is, according to the table below.

100's	E/S Main Menu; Support Functions
200's	Active Directory
300's	History Directory
500's - 800's	Report Generator

1.3 FUNCTION KEY CONVENTIONS. All function key usages are explained in the
lines at the bottom of each screen and in the instructions for each module.
If the key description begins with "F," simply press the function key. If
the description begins with "SF," first press the SHIFT key and while holding
it down, press the function key as above.

1.4 EMERGENCY/SERVICE FUNCTION KEYS. These function keys will be used throughout the module.

ACTIVE, HISTORY, and TRANSFER

F1: Work number search
F2: First record, first page
F3: Next record, next page
F4: Previous record, previous page
F5: Add
F6: Modify
F7: Delete
F8: First page of chit, building search
F9: Next page of chit, customer search, local standards
F10: Previous page of chit, display work order
F11: Print chit, print directory
SF7: Work order directory, work code search
SF8: Building directory, noun search
SF9: Customer directory
SF9: Return to menu, exit without processing
SF10: Return to main menu
ENTER: Continue processing

REPORT GENERATOR

F1: Find report
F2: First page
F3: Next page
F4: Previous page
F5: Add
F6: Modify
F7: Delete
F8: Temporary report
F9: Generate report, report summary
F10: Print report/summary
SF8: Help
SF9: Return to menu, exit without processing
SF10: Return to main menu
ENTER: Continue processing

SUPPORT FUNCTIONS

F1: Search for customer, search for work code
F2: First record
F3: Next record
F4: Previous record
F5: Add
F6: Modify
F7: Delete
F10: Print customer report, local standards
SF9: Return to menu, exit without processing
ENTER: Continue processing

```
            ***   EMERGENCY/SERVICE SYSTEM  ***                100
                  ***   MAIN MENU   ***               RELEASE 1.0

***********************************************************************************
*                                                                                *
*                                                                                *
*           F1  = ACTIVE WORK ORDERS                                             *
*                                                                                *
*           F2  = HISTORY WORK ORDERS                                            *
*                                                                                *
*           F3  = TRANSFER ACTIVE WORK ORDERS TO HISTORY WORK ORDERS             *
*                                                                                *
*           F4  = REPORT GENERATOR MENU                                          *
*                                                                                *
*           SF9 = END PROCESSING                                                 *
*                                                                                *
***********************************************************************************
```

2.1   ENTER THE E/S MAIN MENU.   This screen is the entryway into the
Emergency/Service Module.   The operator can choose to access the Active or
History Work Orders, transfer Active Work Orders to History Work Orders, evoke
the Report Generator, or end processing by pressing the corresponding F-Key.

o   Press F1 to access Active Work Orders which are discussed in this
    chapter.

o   Press F2 to access History Work Orders which are discussed in
    Chapter 4.

o   Press F3 to bring up the screen that allows you to purge work orders in
    the Active File to history.   See paragraph 4.5.

o   Press F4 to evoke the Report Generator which is discussed in Chapter 5.

o   Press SF9 to exit out of E/S.

    We will press F1 for Active Work Orders.

2.2 ACTIVE WORK ORDER DISPLAY

```
                        ***  EMERGENCY/SERVICE SYSTEM  ***        DISPLAY 200
WO NUMBER: 53825        ***  SERVICE WORK AUTHORIZATION  ***              PAGE 1
------------------------------------------------------------------------------
CALLER'S NAME       CUSTOMER CODE      BUILDING NUMBER      WORK LOCATION    ZONE
KANBY                    A                  1184             LAUNDRY RM       1
------------------------------------------------------------------------------
PHONE NUMBER     EQUIPMENT NUM.      INVENTORY CODE     JOB ORDER NUMBER   LC CODE
4444                                                      6N8008            01
------------------------------------------------------------------------------
DESCRIPTION OF WORK (VERB, ADJ, NOUN)
INSTALL                 DEEP                   SINK
------------------------------------------------------------------------------
SPECIAL           B-1184 2ND DECK LAUNDRY ROOM
INSTRUCTIONS      INSTALL DEEP SINK.
                  POC:  BU1 KANBY X4444
------------------------------------------------------------------------------
DATE RECEIVED                       TIME             WORK RECEPTIONIST
   86 03 31                         0915             BETTY REYNOLDS
------------------------------------------------------------------------------
F1=WO NUM SEARCH: _____
SF7=WO DIRECTORY: _____   SF5=BLDG DIRECTORY:_____ SF6=CUST DIRECTORY: ____
F2=1ST REC   F3=NEXT REC  F4=PREV REC  F5=ADD      F6=MODIFY        F7=DELETE
SF2=1ST PG   SF3=NEXT PG  SF4=PREV PG  F10=PRINT CHIT           SF9=RETURN TO MENU
```

The Active Work Order Display (200) is accessed by pressing F1 on the E/S Main Menu (100).

o Press F1 to display the work order entered.

  o If a work order number is entered that matches one in the file, that work order will be displayed on the screen.

  o If a work order number is entered that doesn't match one in the file and it is less than the last entry, the next sequential work order will be displayed.

  o If the work order number entered is greater than any in the file, the screen display will not change and the message "WORK ORDER NOT FOUND" will flash in the lower right corner of the screen.

  o If no work order number is entered, the work order with the lowest number will be displayed.

o Press SF7 to display the Work Order Directory in work order number sequence starting with the number entered. See Work Order Number Search function in Chapter 3.

o   Press SF5 to display the Work Order Directory in building number
    sequence starting with the number entered.   See Building Search
    function in Chapter 3.

o   Press SF6 to display the Work Order Directory in customer code
    sequence, starting with the code entered.   See Customer Search function
    in Chapter 3.

o   Press F2 to display the first record in the file.

o   Press F3 to display the next numerically sequential work order.

o   Press F4 to display the previous record on the file.

o   Press F5 to add a work order.

o   Press F6 to modify the work order being displayed.

o   Press F7 to delete the work order being displayed.

o   Press SF2 to display the first page of the work order being displayed.

o   Press SF3 to display the next page of the work order being displayed.

o   Press SF4 to display the previous page of the work order being
    displayed.

o   Press F1Ø to print the work order chit.

o   Press SF9 to return to the E/S Main Menu.

    We will press SF3 to display page 2 of the work order.

```
                        ***  EMERGENCY/SERVICE SYSTEM  ***          DISPLAY 205
WO NUMBER: 53825        ***  SERVICE WORK AUTHORIZATION   ***               PAGE 2
------------------------------------------------------------------------------
SHOP           860401 DEEP SINK ORDERED
COMMENTS       SINK REC'D 860411        INSTALLED 1 EACH DEEP SINK WITH
               NEW SET OF "P" TRAP.
------------------------------------------------------------------------------
DATE STARTED              DATE COMPLETED           STATUS          DELAY CODE
  86 04 01                  86 04 15              COMPLETED            *
------------------------------------------------------------------------------
PRIMARY WC/C  STD  PRIMARY  SECOND WC/C  STD   SECOND  THIRD WC/C  STD   THIRD
 ASSIGNED    HOURS  WCODE    ASSIGNED   HOURS   WCODE   ASSIGNED  HOURS  WCODE
   55P        0.0                05P     0.0                        0.0
------------------------------------------------------------------------------
PRIMARY WC/C  ACTUAL          SECOND WC/C   ACTUAL          THIRD WC/C   ACTUAL
PERFORMING    HOURS           PERFORMING    HOURS           PERFORMING   HOURS
   55P         0.0                05P        0.0                          0.0
------------------------------------------------------------------------------
TOTAL COST:  $    0                                   CRAFTSMAN:  ANA
------------------------------------------------------------------------------
F1=WO NUM SEARCH: _____
SF7=WO DIRECTORY: _____  SF5=BLDG DIRECTORY:_____  SF6=CUST DIRECTORY: ____
F2=1ST REC     F3=NEXT REC     F4=PREV REC     F5=ADD     F6=MODIFY     F7=DELETE
SF2=1ST PG     SF3=NEXT PG     SF4=PREV PG     F10=PRINT CHIT   SF9=RETURN TO MENU
```

Page 2 of the Active Work Order Display is accessed by pressing SF3 on the Active Work Order Display Screen (200). The function keys are identical to those on page 1 of the display.

We will press SF3 to display page 3 of the work order.

2.2.2 ACTIVE WORK ORDER DISPLAY, PAGE 3

```
                        ***  EMERGENCY/SERVICE SYSTEM  ***              DISPLAY 210
   WO NUMBER:   53825   ***  SERVICE WORK AUTHORIZATION  ***                PAGE 3

             ***  MATERIAL REQUIRED - DETAILED LINE ITEMS ***
   ----------------------------------------------------------------------------
   MANUFACTURER            MODEL    CATALOG   PAGE  SERIAL     VENDOR  RECEIVED BY
   ----------------------------------------------------------------------------
   POURON                  23A       12       14    998765     L&P

             ***  MATERIAL REQUIRED - GENERIC LINE ITEMS ***
   ----------------------------------------------------------------------------
   MATERIAL DESCRIPTION                       QUANTITY   UNITS    PART NUMBER
   ----------------------------------------------------------------------------
   SINK,DEEP                                  00000001    EA      68B


   ----------------------------------------------------------------------------

   F1=WO NUM SEARCH: _____
   SF7=WO DIRECTORY: _____  SF5=BLDG DIRECTORY:_____   SF6=CUST DIRECTORY: ____
   F2=1ST REC     F3=NEXT REC     F4=PREV REC    F5=ADD      F6=MODIFY      F7=DELETE
   SF2=1ST PG     SF3=NEXT PG     SF4=PREV PG    F10=PRINT CHIT   SF9=RETURN TO MENU
```

Page 3 of the Active Work Order Display is accessed by pressing SF3 on page 2 of the Active Work Order Display (205). The function keys are identical to those on page 1 of the display.

We will press F5 to add a new work order.

2.3 ADD WORK ORDER

```
                        ***  EMERGENCY/SERVICE SYSTEM  ***              ADD 215
WO NUMBER:  57780                                                       PAGE 1
-----------------------------------------------------------------------------
CALLER'S NAME            CUSTOMER CODE   BUILDING NUMBER   WORK LOCATION    ZONE
--------------------        ----        ----------        ----------        -
-----------------------------------------------------------------------------
PHONE NUMBER        EQUIPMENT NUM.    INVENTORY CODE   JOB ORDER NUMBER   LC CODE
-------------       -------------        ---          -------------        --
-----------------------------------------------------------------------------
DESCRIPTION OF WORK (VERB, ADJ, NOUN)

-------------------      ------------------      -------------------
-----------------------------------------------------------------------------
SPECIAL             ------------------------------------------------------------
INSTRUCTIONS        ------------------------------------------------------------
                    ------------------------------------------------------------
                    ------------------------------------------------------------
-----------------------------------------------------------------------------
DATE RECEIVED                 TIME                    WORK RECEPTIONIST
  86 05 01                    0802                    JANE SMITH_____
-----------------------------------------------------------------------------

ENTER=CONTINUE ADD                                   SF9=EXIT WITHOUT ADDING
```

The Add Work Order Screen (215) is accessed by pressing F5 on the Active
Work Order Display Screen.

This screen is the first step in adding a work order.

o The work order number is system-generated and is nonmodifiable.

o The customer code can be left blank, but if entered, it must be a valid
   entry in the Customer Code Table which is discussed in Chapter 6.

o The Travel Zone (Zone) is a required field and is highlighted on the
   screen. Valid entries are numbers 1 through 9.

o The Labor Class Code (LC Code) is a required field . Valid entries are
   01 for service calls and 02 for emergency calls.

o If a noun is entered in the Description of Work field, the NAVFAC P-705
   EPS Emergency/Service Handbook (Tri-Services) (1984) will be displayed
   following the last entry. The P-705 is discussed starting on page 2-8.

   o If the Noun field is left blank, page 2 of the chit will be
      displayed when ENTER is pressed at the end of the screen.

o   The date received, time received, and work receptionist fields will be
    system-generated.

o   Press ENTER to continue adding the work order.

o   Press SF9 to exit without adding the work order. The message "WORK
    ORDER NOT ADDED" will flash in the lower right corner of the screen.
    Because the record on the Display Screen has not been added, the Modify
    (F6) and Delete (F7) functions will not appear on the bottom of the
    Display Screen. These functions will reappear when you display another
    work order. The unused work order number will be reused for the next
    add.

    We will press ENTER to continue the add process. Under the assumption
    we have entered the noun "DOOR CLOSER", pressing ENTER will bring up a
    P-705 Display Screen. See paragraph 2.3.1.

2.3.1 NAVY TIME STANDARDS DISPLAY

```
                    *** EMERGENCY/SERVICE SYSTEM ***        DISPLAY 270
WO NOUN:  DOOR CLOSER      *** NAVY TIME STDS ***          NOUN SEQUENCE
W/CODE               DESCRIPTION           HOURS BY ZONE:  1-4   5-9
------------------------------------------------------------------------
DOOR CLOSER
  1083, DOOR, CLOSER - ADJUST HYDRAULIC DOOR CLOSER           .8   1.0
  1084, DOOR, CLOSER - INSTALL HYDRAULIC DOOR CLOSER          .9   1.0
  1086, DOOR, CLOSER - REPAIR CLOSER ON WOODEN DOOR           .5    .7
  1085  DOOR, CLOSER - REPLACE HYDRAULIC DOOR CLOSER         1.0   1.1
  1087  DOOR, CLOSER - RESECURE CLOSER BY REPLACING SCREWS    .6    .7
DOOR KNOB
  1112  DOOR, KNOB - REPAIR                                   .6    .7
DOOR LOCK
  3085  DOOR, METAL - REPAIR LOCK                             .8   1.0
  3083  LOCKSMITH - INSTALL LOCK IN METAL DOOR              1.6   1.8
  3088  LOCKSMITH - OPEN/UNLOCK METAL DOOR                    .9   1.1
  3096  LOCKSMITH - OPEN/UNLOCK WOODEN DOOR                   .9   1.1
  3099  LOCKSMITH - REMOVE BROKEN KEY FROM LOCK               .7    .8
  3089  LOCKSMITH - REPLACE KNOB ON METAL DOOR                .8   1.0
------------------------------------------------------------------------
PRIMARY W/CODE: ____        SECOND W/CODE: ____      THIRD W/CODE: ____
SF7=WORK CODE SEARCH: ____        SF5=NOUN SEARCH: _____
ENTER=CHIT PG 2   F2=FIRST PG   F3=NEXT PG   F4=PREV PG   F9=LOCAL TIME STDS
```

The Navy Time Standards Display (270) is accessed by pressing ENTER on the Add Work Order Screen (215) or SF10 on the Modify Work Order Screen (235).

o Primary W/Code. Enter the work code for the primary Work Center/Craft.

o Second W/Code. Enter the work code for the second Work Center/Craft.

o Third W/Code. Enter the work code for the third Work Center/Craft.

o Press SF7 to display the Time Standards by Work Code starting with the work code entered. See Display by Work Code on pages 2-9 and 2-10.

o Press SF5 to display the time standards by noun starting with the noun entered. See Display by Noun on page 2-9.

o Press ENTER to go to page 2 of the Work Order Chit.

o Press F2 to display the first page of the Navy Time Standards.

o Press F3 to display the next page of the Navy Time Standards.

o Press F4 to display the previous page of the Navy Time Standards.

o Press F9 to display the Local Time Standards.

After entering the applicable work codes, we will press F9 to look at the Local Time Standards Screen. See paragraph 2.3.2.

DISPLAY BY NOUN

o The P-7Ø5 can be displayed by noun using one the following methods:

    o Add Mode - The description of work field on page 1 of the chit
            has been entered and the ENTER key pressed.

    o Modify Mode - The description of work noun field on page 1 of the
            chit is not spaces and the SF1Ø key is pressed.

    o The SF6 key at the bottom of the P-7Ø5 Screen is pressed.

        o If no noun is entered, the display will start at the
           alphabetically lowest noun.

    o If the noun entered matches one in the P-7Ø5, the screen display
       will start with that noun.

    o If the noun entered does not match the P-7Ø5 but it is less than
       the last entry, the screen display will start with the next
       alphabetically sequential noun in the P-7Ø5.

    o If the noun is entered on page 1 of the chit and it is
       alphabetically greater than any on the P-7Ø5, the display will
       start with the first noun and the message "TIME STANDARD RECORD
       NOT FOUND" will flash in the lower right corner of the screen.

    o If the noun is entered on the bottom of a P-7Ø5 Screen and it is
       alphabetically greater than any on the P-7Ø5, the screen display
       will not change and the message "TIME STANDARD RECORD NOT FOUND"
       will flash in the lower right corner of the screen.

DISPLAY BY WORK CODE

    o The P-7Ø5 can be displayed by work code using one the following
       methods:

    o Modify Mode - The description of work noun field on page 1 of
            the chit is blank and SF1Ø is pressed.

    o The SF7 key at the bottom of the P-7Ø5 Screen is pressed.

        o If no work code is entered, the display will start with the
           sequentially lowest work code.

        o If the work code entered matches the P-7Ø5, the display
           will start with that work code.

o If the work code does not match but it is less than the last entry, the display will start with the next sequential work code.

o If the work code entered is greater than any on the P-705, the display will not change and the message "TIME STANDARD RECORD NOT FOUND" will flash in the lower right corner.

ADD MODE

o Enter the applicable work codes in the Primary, Second, and Third Work Code (W/Code) fields at the bottom of the screen. Press ENTER to go to page 2 of the chit.

o The standard hours and work codes will be stored in their respective fields on page 2 of the chit.

MODIFY MODE

o The work code fields at the bottom of the screen will contain the same data as their respective fields on page 2 of the chit.

o Make desired modifications to the Primary, Second, and Third Work Code fields and press ENTER to go to page 2 of the chit.

o The Work Code, and Standard Hours fields on page 2 of the chit will be updated after you press ENTER.

o If you spaced out any of the work codes at the bottom of the P-705 Screen, the respective work codes, and standard hours fields on page 2 of the chit will be spaced out.

ADD AND MODIFY MODES

o If you alter the standard hours on page 2 of the chit, the work code for those hours will be spaced out.

o Local Time Standard Work Codes can also be entered at the bottom of the P-705 Screen.

2.3.2 LOCAL TIME STANDARDS DISPLAY

```
                         *** EMERGENCY/SERVICE SYSTEM ***              DISPLAY 255
WO NOUN:  WINDOW                *** LOCAL TIME STDS ***             NOUN SEQUENCE
W/CODE                   DESCRIPTION                   HOURS BY ZONE:  1-4   5-9
-----------------------------------------------------------------------------------
ASPHALT
  LØØ3 PATCH HOLE, 3-5 SQUARE FEET                                      .5    .8
ELECTRICAL
  LØØ1 REPAIR ELECTRICAL OUTLET                                        .5    .6
GARAGE DOOR
  LØØ2 PAINT GARAGE DOOR                                              2.Ø   3.Ø




-----------------------------------------------------------------------------------
PRIMARY W/CODE: ____          SECOND W/CODE: ____       THIRD W/CODE: ____
SF7=WORK CODE SEARCH: ____         SF6=NOUN SEARCH: _____
ENTER=CHIT PG 2    F2=FIRST PG    F3=NEXT PG    F4=PREV PG    F9=NAVY TIME STDS
```

The Local Time Standards Display (255) is accessed by pressing F9 on the Navy Time Standard Screen (27Ø).

o Primary W/Code. Enter the work code for the primary Work Center/Craft.

o Second W/Code. Enter the work code for the second Work Center/Craft.

o Third W/Code. Enter the work code for the third Work Center/Craft.

o Press SF7 to display the Local Standards by Work Code starting with the work code entered. See Display by Work Code starting on page 2-11.

o Press SF8 to display the Local Standards by Noun starting with the noun entered. See Display by Noun on page 2-11.

o Press ENTER to go to page 2 of the Work Order Chit.

o Press F2 to display the first page of the Local Standards.

o Press F3 to display the next page of the Local Standards.

o Press F4 to display the previous page of the Local Standards.

o Press F9 to display the Navy Time Standards.

We will press ENTER to go to page 2 of the Add Screen (22Ø). See paragraph 2.3.3.

LOCAL TIME STANDARDS

DISPLAY BY NOUN

- o The Local Time Standards can be displayed by noun using one the following methods:

    - o Add Mode - The description of work field on page 1 of the chit has been entered, the ENTER key has been pressed to access the P-705 screen, and the F9 key has been pressed.

    - o Modify Mode - The description of work noun field on page 1 of the chit is not spaces, the SF10 key has been pressed, and the F9 key has been pressed.

    - o The SF6 key at the bottom of the Local Standards Screen has been pressed.

        - o If no noun is entered, the display will start at the alphabetically lowest noun.

- o If the noun entered matches one in the Local Standards, the screen display will start with that noun.

- o If the noun entered does not match the Local Standards but it is less than the last entry, the screen display will start with the next alphabetically sequential noun in the Local Standards.

- o If the noun is entered on page 1 of the chit and it is alphabetically greater than any in the Local Standards, the display will start with the first noun and the message "TIME STANDARD RECORD NOT FOUND" will flash in the lower right corner of the screen.

- o If the noun is entered on the bottom of a Local Standards Screen and it is alphabetically greater than any in the Local Standards, the screen display will not change and the message "TIME STANDARD RECORD NOT FOUND" will flash in the lower right corner of the screen.

DISPLAY BY WORK CODE

- o The Local Standards can be displayed by work code using one the following methods:

    - o Modify Mode - The description of work noun field on page 1 of the chit is blank, SF10 has been pressed, and F9 has been pressed.

    - o The SF7 key at the bottom of the Local Standards Screen has been pressed.

        - o If no work code is entered, the display will start with the sequentially lowest work code.

2-12

o If the work code entered matches the Local Standards, the display will start with that work code.

o If the work code does not match but it is less than the last entry, the display will start with the next sequential work code.

o If the work code entered is greater than any in the Local Standards, the display will not change and the message "TIME STANDARD RECORD NOT FOUND" will flash in the lower right corner.

ADD MODE

o Enter the applicable work codes in the Primary, Second, and Third Work Code (W/Code) fields at the bottom of the screen. Press ENTER to go to page 2 of the chit.

o The standard hours and work codes will be stored in their respective fields on page 2 of the chit.

MODIFY MODE

o The Work Code fields at the bottom of the screen will contain the same data as their respective fields on page 2 of the chit.

o Make desired modifications to the primary, second, and third work code fields and press ENTER to go to page 2 of the chit.

o The Work Code, and Standard Hours fields on page 2 of the chit will be updated after you press ENTER.

o If you spaced out any of the work codes at the bottom of the Local Standards Screen, their respective Work Code, and Standard Hours fields on page 2 of the chit will be spaced out.

ADD AND MODIFY MODES

o If you alter the standard hours on page 2 of the chit, the work code for those hours will be spaced out.

o Navy time standard work codes can also be entered at the bottom of the Local Time Standards Screen.

2.3.3 ADD WORK ORDER, PAGE 2

```
                          ***  EMERGENCY/SERVICE SYSTEM  ***              ADD 22Ø
WO NUMBER:  5778Ø         ***  EMERGENCY WORK AUTHORIZATION  ***             PAGE 2
------------------------------------------------------------------------------------
SHOP                   _____
COMMENTS               _____
                       _____
                       _____
------------------------------------------------------------------------------------
DATE STARTED               DATE COMPLETED            STATUS              DELAY CODE
__ __ __                    __ __ __                 _ACTIVE_                _
------------------------------------------------------------------------------------
PRIMARY WC/C  STD   PRIMARY  SECOND WC/C  STD   SECOND  THIRD WC/C  STD      THIRD
 ASSIGNED    HOURS  WCCODE    ASSIGNED   HOURS  WCCODE   ASSIGNED  HOURS     HOURS
WCCODE
 ____       _Ø.Ø    ____      ____       _Ø.Ø   ____      ____     _Ø.Ø      ____
------------------------------------------------------------------------------------
PRIMARY WC/C  ACTUAL          SECOND WC/C  ACTUAL          THIRD WC/C  ACTUAL
PERFORMING    HOURS           PERFORMING   HOURS           PERFORMING  HOURS
 ____        _Ø.Ø             ____        _Ø.Ø             ____       _Ø.Ø
------------------------------------------------------------------------------------
TOTAL COST:  $ ___Ø                            CRAFTSMAN:  _____
------------------------------------------------------------------------------------
ENTER=ADD WORK ORDER          F8=PAGE 1 OF CHIT          SF9=EXIT WITHOUT ADDING
```

Page 2 of the Add Work Order Screen (22Ø) is accessed by pressing ENTER on the Local Time Standards Display (255), or Navy Time Standard Display (27Ø), or page 1 of the Add Work Order Screen (215).

o All fields except work order and status are modifiable during the addition of a work order.

o Date Started

  o The date started must be equal to or greater than the date received. If it is not, the error message "DATE STARTED THAN "DATE RECEIVED" will flash in the lower right corner of the screen.

o Date Completed

  o The date completed must be equal to or greater than the date started. If it is not, the error message "DATE STARTED > THAN DATE COMPLETED" will flash in the lower right corner of the screen.

  o The date completed must be equal to or less than the current system date. If it is not, the error message "INVALID DATE" will flash in the lower right corner of the screen.

o   If the date started is spaces or zeroes, the date completed will
    be compared to the date received. If the date completed is not
    equal to or greater than the date received, the error message
    "DATE COMPLETED MUST BE = OR > DATE REC'D" will flash in the
    lower right corner of the screen.

o   The status is system generated and depends on the date completed and
    delay code fields. The three possible values are:

    ACTIVE   - Date completed must be spaces or zeroes
    COMPLETED   - Date completed must be entered
    CANCELLED   - A delay code of "C" and a date completed must be
                  entered.

o   The standard and actual hours contain one decimal place. The maximum
    value is 99.9.

o   Total cost is in whole hours. The maximum value is $9999.

o   Primary, second, and third work codes can be left blank, but if they
    are entered they must be valid entries from the P-705 or Local Time
    Standards.

o   If a noun has been entered on page of 1 of the work order, the P-705
    will always be displayed when going from page 1 to page 2 of the work
    order.

o   When exiting the add mode you will always be returned to display mode,
    page 1.

o   Press ENTER to add the work order. The message "WORK ORDER HAS BEEN
    ADDED" will flash in the lower right corner of the Display Screen.

o   Press F8 to go to page 1 of the work order chit.

o   Press SF9 to exit without adding the work order. The message "WORK
    ORDER NOT ADDED" will flash in the lower right corner of the Display
    Screen. Because the record on the Display Screen has not been added,
    the Modify (F6) and Delete (F7) functions will not appear on the bottom
    of the Display Screen. These functions will reappear when you display
    another record. The work order number will be reused for the next add.

    We will press ENTER to add the work order.

2.3.4 COMPLETED ADDED WORK ORDER

```
                     ***  EMERGENCY/SERVICE SYSTEM  ***          DISPLAY 200
WO NUMBER: 57780     ***  SERVICE WORK AUTHORIZATION  ***              PAGE 1
------------------------------------------------------------------------------
CALLER'S NAME        CUSTOMER CODE     BUILDING NUMBER      WORK LOCATION  ZONE
ANN JONES                 A                  40                  RM 6        3
------------------------------------------------------------------------------
PHONE NUMBER     EQUIPMENT NUM.     INVENTORY CODE     JOB ORDER NUMBER  LC CODE
X-1234                                                  6N4000              01
------------------------------------------------------------------------------
DESCRIPTION OF WORK (VERB, ADJ, NOUN)
REPAIR              BROKEN                  DOOR CLOSER
------------------------------------------------------------------------------
SPECIAL          REPAIR BROKEN DOOR CLOSER.  DOORS SLAM SHUT CAUSING DAMAGE TO
INSTRUCTIONS     THE DOOR HINGES.


------------------------------------------------------------------------------
DATE RECEIVED                     TIME             WORK RECEPTIONIST
   86 05 01                       0802             JANE SMITH
------------------------------------------------------------------------------
F1=WO NUM SEARCH: _____               *** WORK ORDER HAS BEEN ADDED ***
SF7=WO DIRECTORY: _____ SF8=BLDG DIRECTORY:_____ SF9=CUST DIRECTORY: ____
F2=1ST REC    F3=NEXT REC    F4=PREV REC    F5=ADD      F6=MODIFY     F7=DELETE
F8=1ST PG     F9=NEXT PG     F10=PREV PG    SF8=PRINT CHIT     SF9=RETURN TO MENU
```

The work order has been added which is confirmed by the message in the lower right corner of the screen. The function keys are discussed in paragraph 2.2.

We will press F6 to modify the work order we have just added.

2.4 MODIFY WORK ORDER

```
                         ***  EMERGENCY/SERVICE SYSTEM  ***          MODIFY 230
   WO NUMBER: 5778Ø      ***  SERVICE WORK AUTHORIZATION  ***                PAGE 1
   ------------------------------------------------------------------------------
   CALLER'S NAME        CUSTOMER CODE     BUILDING NUMBER     WORK LOCATION     ZONE
   ANN-JONES_____        A___             4Ø_____           RM 6           3
   ------------------------------------------------------------------------------
   PHONE NUMBER     EQUIPMENT NUM.     INVENTORY CODE    JOB ORDER NUMBER   LC CODE
   X-1234_____    _____          ---            6N4ØØØ_____       Ø1
   ------------------------------------------------------------------------------
   DESCRIPTION OF WORK (VERB, ADJ, NOUN)
   REPAIR_____       BROKEN_____      DOOR CLOSER_____
   ------------------------------------------------------------------------------
   SPECIAL          REPAIR_BROKEN_DOOR_CLOSER.__DOORS_SLAM_SHUT_CAUSING_DAMAGE_TO
   INSTRUCTIONS     THE_DOOR_HINGES._____
                    _____
                    _____
   ------------------------------------------------------------------------------
   DATE RECEIVED                         TIME           WORK RECEPTIONIST
     86 Ø5 Ø1                            Ø8Ø2           JANE SMITH_____
   ------------------------------------------------------------------------------

   ENTER=SAVE MODIFICATIONS      SF3=NEXT PAGE       SF9=EXIT WITHOUT MODIFYING
```

Page 1 of the Modify Work Order Screen (23Ø) is accessed by pressing F6 on an Active Work Order Display Screen.

o   All fields on page 1 except Work Order Number are modifiable. Data edits are discussed in Add Work Order, paragraph 2.3.

o   The display page you were on when entering the modify mode is the page that will be displayed when you exit the modify mode.

o   Press ENTER to save the modifications. The message "WORK ORDER HAS BEEN MODIFIED" will flash in the lower right corner of the Display Screen.

o   Press SF3 to go to page 2 of the work order.

o   Press SF9 to exit without saving the modifications. The message "WORK ORDER NOT MODIFIED" will flash in the lower right corner of the Display Screen.

We will press SF3 to go to page 2 of the work order.

2.4.1 MODIFY WORK ORDER, PAGE 2

```
                       ***  EMERGENCY/SERVICE SYSTEM  ***          MODIFY 235
WO NUMBER:  57780      *** SERVICE WORK AUTHORIZATION ***              PAGE 2
-------------------------------------------------------------------------------
SHOP              DOOR_CLOSER_BROKEN_BEYOND_REPAIR.__NEED_NEW_CLOSER._____
COMMENTS          _____
                  _____
                  _____
-------------------------------------------------------------------------------
DATE STARTED              DATE COMPLETED            STATUS            DELAY CODE
86 05 02                    __ __ __                ACTIVE___             M
-------------------------------------------------------------------------------
PRIMARY WC/C  STD  PRIMARY  SECOND WC/C  STD SECOND  THIRD WC/C   STD    THIRD
 ASSIGNED    HOURS  WCCODE    ASSIGNED  HOURS WCCODE   ASSIGNED   HOURS  WCCODE
   55C_       _0.5   1086      05P_      _0.0  ____       ____     _0.0    ____
-------------------------------------------------------------------------------
PRIMARY WC/C  ACTUAL         SECOND WC/C  ACTUAL      THIRD WC/C   ACTUAL
PERFORMING    HOURS          PERFORMING   HOURS       PERFORMING   HOURS
   ____        _0.0             ____       _0.0          ____       _0.0
-------------------------------------------------------------------------------
TOTAL COST:  $ ___0                              CRAFTSMAN:  CLIFFORD_____
-------------------------------------------------------------------------------

ENTER=SAVE MODIFICATIONS           SF3=NEXT PAGE           SF4=PREVIOUS PAGE
F9=NAVY TIME STANDARD                    SF9=EXIT WITHOUT MODIFYING
```

Page 2 of the Modify Work Order Screen (235) is accessed by pressing F9 on the first page of the Modify Work Order Screen (230).

o All fields on page 2 except Work Order Number and Status are modifiable. Data edits are discussed in Add Work Order, paragraph 2.3.

o If the Standard Hours field for primary, second or third work codes is modified, the respective work code will be spaced out.

o Press ENTER to save the modifications. The message "WORK ORDER HAS BEEN MODIFIED" will flash in the lower right corner of the Display Screen.

o Press SF3 to go to page 3 of the work order.

o Press SF4 to go to page 1 of the work order.

o Press F9 to go to the Navy Time Standards which are discussed on pages 2-8 to 2-10.

o Press SF9 to exit without saving the modifications. The message "WORK ORDER NOT MODIFIED" will flash in the lower right corner of the Display Screen.

We will press SF3 to go to page 3 of the work order.

2.4.2 MODIFY WORK ORDER, PAGE 3

```
                        ***  EMERGENCY/SERVICE SYSTEM  ***              MODIFY 240
WO NUMBER:  57780       ***  SERVICE WORK AUTHORIZATION  ***                PAGE 3

              ***  MATERIAL REQUIRED - DETAILED LINE ITEMS  ***
-----------------------------------------------------------------------------
MANUFACTURER              MODEL    CATALOG   PAGE  SERIAL    VENDOR   RECEIVED BY
-----------------------------------------------------------------------------
NORTON_____ 788_F_   92_____  163_  _____ AMERLOC _____
-----------------------  ------ ----------- ----  _____ _____

              ***  MATERIAL REQUIRED - GENERIC LINE ITEMS  ***
-----------------------------------------------------------------------------
MATERIAL DESCRIPTION                         QUANTITY   UNITS    PART NUMBER
-----------------------------------------------------------------------------
CLOSER,DOOR,HYDRAULIC,BRONZ_____ 00000002   EA___    149A_____
------------------------------------------- --------   -----    --------------
------------------------------------------- --------   -----    --------------
------------------------------------------- --------   -----    --------------
-----------------------------------------------------------------------------
SF2=FIRST PAGE                                      SF4=PREVIOUS PAGE
ENTER=SAVE MODIFICATIONS                            SF9=EXIT WITHOUT MODIFYING
```

Page 3 of the Modify Work Order Screen (240) is accessed by pressing SF3 on the second page of the Modify Work Order Screen (235).

o   All fields on page 3 except Work Order Number are modifiable.

o   The quantity field must be numeric, the remaining fields are alphanumeric and are not edited.

o   Press SF2 to go to page 1 of the work order.

o   Press SF4 to go to page 2 of the work order.

o   Press ENTER to save the modifications. The message "WORK ORDER HAS BEEN MODIFIED" will flash in the lower right corner of the Display Screen.

o   Press SF9 to exit without saving the modifications. The message "WORK ORDER NOT MODIFIED" will flash in lower right corner of the Display Screen.

We will press ENTER to save the modifications.

2.4.3 COMPLETED MODIFIED WORK ORDER

```
                        *** EMERGENCY/SERVICE SYSTEM ***        DISPLAY 200
WO NUMBER: 57780        *** SERVICE WORK AUTHORIZATION ***            PAGE 1
-------------------------------------------------------------------------------
CALLER'S NAME        CUSTOMER CODE     BUILDING NUMBER    WORK LOCATION    ZONE
ANN JONES                 A                 40                RM 6          3
-------------------------------------------------------------------------------
PHONE NUMBER     EQUIPMENT NUM.     INVENTORY CODE    JOB ORDER NUMBER   LC CODE
X-1234                                                    6N4000           01
-------------------------------------------------------------------------------
DESCRIPTION OF WORK (VERB, ADJ, NOUN)
REPAIR            BROKEN                DOOR CLOSER
-------------------------------------------------------------------------------
SPECIAL          REPAIR BROKEN DOOR CLOSER.  DOORS SLAM SHUT CAUSING DAMAGE TO
INSTRUCTIONS     THE DOOR HINGES.

                 MATERIAL ORDERED 5/5/86
-------------------------------------------------------------------------------
DATE RECEIVED                       TIME            WORK RECEPTIONIST
   86 05 01                         0802            JANE SMITH
-------------------------------------------------------------------------------
F1=WO NUM SEARCH: _____              *** WORK ORDER HAS BEEN MODIFIED ***
SF7=WO DIRECTORY: _____ SF5=BLDG DIRECTORY:_____  SF6=CUST DIRECTORY: ____
F2=1ST REC    F3=NEXT REC    F4=PREV REC    F5=ADD      F6=MODIFY     F7=DELETE
SF2=1ST PG    SF3=NEXT PG    SF4=PREV PG    F10=PRINT CHIT   SF9=RETURN TO MENU
```

The work order has been modified, which is confirmed by the message in the lower right corner of the screen. The function keys are discussed in paragraph 2.2.

We will press F7 to enter the delete mode.

2.5 DELETE WORK ORDER

```
                    ***  EMERGENCY/SERVICE SYSTEM  ***              DELETE 245
WO NUMBER: 57780    ***  SERVICE WORK AUTHORIZATION  ***                PAGE 1
------------------------------------------------------------------------------
CALLER'S NAME       CUSTOMER CODE     BUILDING NUMBER     WORK LOCATION    ZONE
ANN JONES                A                   40               RM 6           3
------------------------------------------------------------------------------
PHONE NUMBER     EQUIPMENT NUM.    INVENTORY CODE     JOB ORDER NUMBER   LC CODE
X-1234                                                    6N4000            01
------------------------------------------------------------------------------
DESCRIPTION OF WORK (VERB, ADJ, NOUN)
REPAIR              BROKEN                DOOR CLOSER
------------------------------------------------------------------------------
SPECIAL          REPAIR BROKEN DOOR CLOSER.  DOORS SLAM SHUT CAUSING DAMAGE TO
INSTRUCTIONS     THE DOOR HINGES.

                 MATERIAL ORDERED 5/5/86
------------------------------------------------------------------------------
DATE RECEIVED                       TIME           WORK RECEPTIONIST
   86 05 01                         0802           JANE SMITH
------------------------------------------------------------------------------
ENTER=DELETE WORK ORDER                       SF9=EXIT WITHOUT DELETING
```

The Delete Work Order Screen (245) is accessed by pressing F7 on the Active Work Order Display Screen (200).

o   In the delete mode you only have access to page 1 of the work order that was being displayed when you pressed F7 on the Display Screen.

o   Press ENTER to delete the work order. The message "WORK ORDER HAS BEEN DELETED" will flash in the lower right corner of the Display Screen. Because the record on the display screen has been deleted, the Modify (F6) and Delete (F7) functions will not appear on the bottom of the Display Screen. These function selections will reappear when you display another work order.

o   Press SF9 to exit without deleting the work order. The message "WORK ORDER NOT DELETED" will flash in the right corner of the Display Screen.

We will press SF9 and exit without deleting the work order.

2.5.1 WORK ORDER NOT DELETED

```
                     ***  EMERGENCY/SERVICE SYSTEM  ***          DISPLAY 200
WO NUMBER: 57780     ***  SERVICE WORK AUTHORIZATION  ***                PAGE 1
--------------------------------------------------------------------------------
CALLER'S NAME        CUSTOMER CODE      BUILDING NUMBER    WORK LOCATION    ZONE
ANN JONES                 A                  40                RM 6          3
--------------------------------------------------------------------------------
PHONE NUMBER    EQUIPMENT NUM.    INVENTORY CODE     JOB ORDER NUMBER    LC CODE
X-1234                                                   6N4000             01
--------------------------------------------------------------------------------
DESCRIPTION OF WORK (VERB, ADJ, NOUN)
REPAIR             BROKEN               DOOR CLOSER
--------------------------------------------------------------------------------
SPECIAL         REPAIR BROKEN DOOR CLOSER.  DOORS SLAM SHUT CAUSING DAMAGE TO
INSTRUCTIONS    THE DOOR HINGES.

                MATERIAL ORDERED 5/5/86
--------------------------------------------------------------------------------
DATE RECEIVED                       TIME           WORK RECEPTIONIST
  86 05 01                          0802           JANE SMITH
--------------------------------------------------------------------------------
F1=WO NUM SEARCH: _____                       *** WORK ORDER NOT DELETED ***
SF7=WO NUM SEARCH: _____  SF5=BLDG DIRECTORY:_____  SF6=CUST DIRECTORY:____
F2=1ST REC    F3=NEXT REC    F4=PREV REC    F5=ADD    F6=MODIFY    F7=DELETE
SF2=1ST PG    SF3=NEXT PG    SF4=PREV PG    F10=PRINT CHIT   SF9=RETURN TO MENU
```

We did not delete the work order, and the message in the lower right corner of the screen confirms this. The function keys are discussed in paragraph 2.2.

We will now press SF7 after entering the work order number to go to the Work Order Directory.

3.1 ACTIVE WORK ORDER DIRECTORY

```
                             ***  EMERGENCY/SERVICE SYSTEM  ***          DIRECTORY 250
                             ***   WORK ORDER DIRECTORY ***      WORK ORDER SEQUENCE
WO NUM    LCCODE      DESCRIPTION OF WORK (VERB, ADJECTIVE, NOUN)
JOB ORDER        BUILDING    WORK LOC    CUSTOMER  RECEIVED  PRIM ASSGN  STATUS
-------------------------------------------------------------------------------------
57780     01        REPAIR                    BROKEN               DOOR CLOSER
6N4000        40              RM 6            A   86 05 01    55C          ACTIVE


58062     01        CHECK/REPAIR         VALVES               SHOWER
6U4003        560             RM 287I&J           86 03 23    55P          COMPLETED


60926     01        ORDER/INSTALL        1                    DRINKING FOUNTAIN
6N4000        103                                 86 04 30    55P          ACTIVE


61040     01        REPAIR               INOPERABLE           EXHAUST FAN
6N4000        312             MENS HEAD      Q    86 05 02    55E          ACTIVE


63463     01        REPAIR               INCANDESCENT         FIXTURE
6N4000        1318            EXTERIOR       Q    86 04 26    55E          ACTIVE
-------------------------------------------------------------------------------------
F1=WO NUM SEARCH: ____
SF1=BLDG SEARCH: _____      F8=CUST SEARCH: ____    SF5=DISPLAY WO NUM _____
F2=FIRST PAGE                   F3=NEXT PAGE            F4=PREVIOUS PAGE
F10=PRINT DIRECTORY       SF9=RETURN TO WO DISPLAY   SF10=RETURN TO MAIN MENU
```

Active Directory. This is the center of the active side of E/S. All work orders when added are displayed in the active directory until deleted or purged. The work orders can be listed three ways, by work order number, by work order number within building number and customer code, and by work order number within customer code.

  o Press F1 after entering a work order number to bring up the specified work order as the first record on the screen.

  o Work Orders are displayed in ascending order.

  o If a work order number is entered that matches one in the directory, the display will start with that work order number.

  o If a work order number is entered that doesn't match one in the directory and it is less than the last entry, the screen display will start with the next sequential work order number.

o   If the work order number entered is greater than any in the
    directory, the screen display will not change and the message "WORK
    ORDER NOT FOUND" will flash in the lower right corner of the screen.

o   If no work order number is entered, the display will start with the
    lowest work order number.

o Press SF1 to display the Work Order Directory in building number
   sequence starting with the number entered. See Building Search
   function in Chapter 3.

o Press F8 to display the Work Order Directory in customer code sequence
   starting with the code entered. See Customer Search function in
   Chapter 3.

o Press SF5 to display the work order entered. See F1 explanation on
   page 2-2.

o Press F2 to display the first page of the directory.

o Press F3 to display the next page containing the next 5 work orders.

o Press F4 to display the previous page of the directory.

o Press F1Ø to print the directory on the designated line printer.

o Press SF9 to return to the work order displayed prior to entering the
   directory.

o Press SF1Ø to return to the main menu.

   We will press SF1Ø to return to the Main Menu Screen (1ØØ).

3.2 BUILDING DIRECTORY SEARCH FUNCTION

```
                    ***  EMERGENCY/SERVICE SYSTEM  ***            DIRECTORY 25Ø
                    ***  WORK ORDER DIRECTORY  ***      BUILDING NUMBER SEQ
WO NUM      LCCODE      DESCRIPTION OF WORK (VERB, ADJECTIVE, NOUN)
JOB ORDER              BUILDING      WORK LOC   CUSTOMER  RECEIVED   PRIM ASGN  STATUS
--------------------------------------------------------------------------------
62498       Ø1      REPAIR                  GAS                      HEATER
6N4Ø28              1362          AUTO HOBBY    PW      86 Ø5 Ø1     55E       ACTIVE

62541       Ø1      TEST                                             FIRE ALARM
6U4ØØ7              1392          SRB           Z       86 Ø5 Ø2     65L       ACTIVE

62545       Ø1      ORDER                   2                        SIGN
6X451Ø              14            RM 143        A       86 Ø5 Ø2     Ø5P       ACTIVE

62564       Ø1      REPAIR                  WSI MINI-CAT             READER PRINTER
6X451Ø              14            SHOPS         A       86 Ø5 Ø3     64R       ACTIVE

62569       Ø1      UNCLOG/REPAIR           2                        COMMODE
6N4ØØØ              14            ACR 131       A       86 Ø5 Ø5     55P       ACTIVE
--------------------------------------------------------------------------------
F1=WO NUM SEARCH: _____
SF1=BLDG SEARCH: _____   F8=CUST SEARCH: ____      SF5=DISPLAY WO NUM _____
F2=FIRST PAGE                  F3=NEXT PAGE              F4=PREVIOUS PAGE
F1Ø=PRINT DIRECTORY            SF9=RETURN TO WO DISPLAY  SF1Ø=RETURN TO MAIN MENU
```

SF1 BUILDING SEARCH

SORT

o   Work orders are displayed in ascending order within Customer Code and
    Building Number.

o   The Building Number Sort is positionally sequential, for example,
    Building numbers that have 13 in the first two positions will be
    displayed before building numbers that have 14 in the first twc
    positions.

DISPLAY SEQUENCE

o   If a building number is entered that matches one in the directory, work
    orders will be displayed starting with that building number.

o   If a building number is entered that doesn't match one in the directory
    and it is less than the highest building number, work orders will be
    displayed starting with the next sequential building number.

o   If the building number entered is greater than any in the directory,
    the screen display will not change and the message "WORK ORDER NOT
    FOUND" will flash in the lower right corner of the screen.

o   If no building number is entered, all work orders will be displayed
    starting with the lowest building number.

3.3 CUSTOMER DIRECTORY SEARCH FUNCTION

```
                  ***  EMERGENCY/SERVICE SYSTEM  ***          DIRECTORY 250
                  ***    WORK ORDER DIRECTORY   ***        CUSTOMER CODE SEQ
WO NUM      LCCODE    DESCRIPTION OF WORK (VERB, ADJECTIVE, NOUN)
JOB ORDER             BUILDING    WORK LOC  CUSTOMER  RECEIVED  PRIM ASGN  STATUS
-------------------------------------------------------------------------------
62599       01        REPAIR                                   DOOR LOCK
6A4102                1031        FRONT DOOR    P      86 05 07   55L       ACTIVE

62615       01        REPLACE/REPAIR                           DISHWASHER
6A4103                957C        KITCHEN       PH     86 05 07   55P       ACTIVE

62641       01        REPAIR                 NON COOLING       REEFER
6A4151                957C        KITCHEN       PH     86 05 08   62A       ACTIVE

62650       01        REPAIR                 DOOR              SHOWER
6A4109                1019        BATHRM        PH     86 05 08   55P       ACTIVE

62668       01        DELIVER                PICK UP           TRASH CANS
6A4108                1126A                     PH     86 05 09   55L       ACTIVE
-------------------------------------------------------------------------------
F1=WO NUM SEARCH: _____
SF1=BLDG SEARCH: _____  F8=CUST SEARCH: ____   SF5=DISPLAY WO NUM _____
F2=FIRST PAGE                 F3=NEXT PAGE           SF4=PREVIOUS PAGE
F10=PRINT DIRECTORY      SF9=RETURN TO WO DISPLAY    SF10=RETURN TO MAIN MENU
```

F8 CUSTOMER SEARCH

SORT

   o Work orders are displayed in ascending order within customer code.

DISPLAY SEQUENCE

   o If a customer code is entered that matches one in the directory, work
      orders will be displayed starting with that customer code.

   o If a customer code is entered that doesn't match one in the directory
      and it is less than the highest customer code, work orders will be
      displayed starting with the next sequential customer code.

   o If the customer code entered is greater than any in the directory, the
      screen display will not change and the message "WORK ORDER NOT FOUND"
      will flash in the lower right corner of the screen.

   o If no customer code is entered, all work orders will be displayed
      starting with the lowest customer code.

```
          ***   EMERGENCY/SERVICE SYSTEM  ***          MAIN MENU 100
                ***   MAIN MENU  ***                     RELEASE 2.0

*********************************************************************************
*                                                                              *
*              F1 = ACTIVE WORK ORDERS                                         *
*                                                                              *
*              F2 = HISTORY WORK ORDERS                                        *
*                                                                              *
*              F3 = TRANSFER ACTIVE WORK ORDERS TO HISTORY WORK ORDERS         *
*                                                                              *
*              F4 = REPORT GENERATOR MENU                                      *
*                                                                              *
*             SF9 = END PROCESSING                                             *
*                                                                              *
*********************************************************************************
```

4.1 EMERGENCY/SERVICE MAIN MENU. Having explored the Active Work Orders we
will press F2 to display the History Work Orders.

4.2 HISTORY WORK ORDER DISPLAY

```
                        ***  EMERGENCY/SERVICE SYSTEM  ***   HISTORY -DISPLAY 300
WO NUMBER: 52560        ***  SERVICE WORK AUTHORIZATION  ***                PAGE 1
---------------------------------------------------------------------------------
CALLER'S NAME        CUSTOMER CODE      BUILDING NUMBER      WORK LOCATION    ZONE
MCLEMEN                  PH                  435               WAREHOUSE
---------------------------------------------------------------------------------
PHONE NUMBER      EQUIPMENT NUM.      INVENTORY CODE    JOB ORDER NUMBER   LC CODE
X-5678            MV450971               REF               5A4151            01
---------------------------------------------------------------------------------
DESCRIPTION OF WORK (VERB, ADJ, NOUN)
CHECK AND           REPAIR                   REFRIGERATOR
---------------------------------------------------------------------------------
SPECIAL          CHECK AND REPAIR INOPERATIVE REFRIGERATOR (HOT POINT)
INSTRUCTIONS     FOR HOUSING - SHOP HAS INFO
                 BLDG 435 (WAREHOUSE)


---------------------------------------------------------------------------------
DATE RECEIVED                          TIME              WORK RECEPTIONIST
  83 10 12                             0000              ETTA R CARPENTER
---------------------------------------------------------------------------------
F1=WO NUM SEARCH: _____                      *** WORK ORDER NOT DELETED ***
SF7=WO DIRECTORY: _____  SF5=BLDG DIRECTORY:_____  SF6=CUST DIRECTORY: ____
F2=1ST REC    F3=NEXT REC    F4=PREV REC               F6=MODIFY      F7=DELETE
SF2=1ST PG    SF3=NEXT PG    SF4=PREV PG    F10=PRINT CHIT   SF9=RETURN TO MENU
```

o Work Orders are not added to History.

o Each activity has the option of whether History Records should be modifiable. This is set by the System Administrator in Support Functions. If your activity has decided against modifying history records, the Modify Record (F6) function will not appear on the bottom of the History Display Screen.

o Press F1 to display work order entered. See F1 explanation on page 2-2.

o Press SF7 to display the Work Order Directory starting with the work order entered. See Work Order Directory Search function in Chapter 3.

o Press SF5 to display the Building Directory starting with the building number entered. See Building Directory Search function in Chapter 3.

o Press SF6 to display the Customer Directory starting with the customer code entered. See Customer Directory Search Function in Chapter 3.

o   Press F2 to display the first page of the first work order.

o   Press F3 to display the next work order.

o   Press F4 to display the previous work order.

o   Press F6 to modify the work order being displayed.

o   Press F7 to delete the work order being displayed.

o   Press SF2 to return to the first page of a work order
    (from pages 2 or 3).

o   Press SF3 to display the next page of the work order.

o   Press SF4 to return to the previous page.

o   Press F1Ø to print the work order chit.

o   Press SF9 to return to the Main Menu.

    We will press SF7 after entering a work order number to go to the
    History Directory.

4.3 HISTORY WORK ORDER DIRECTORY

```
                      ***  EMERGENCY/SERVICE SYSTEM  ***          DIRECTORY 350
                      ***   WORK ORDER DIRECTORY ***        WORK ORDER SEQUENCE
WO NUM    LCCODE       DESCRIPTION OF WORK (VERB, ADJECTIVE, NOUN)
JOB ORDER       BUILDING    WORK LOC   CUSTOMER  COMPLETED PRIM ASSGN  STATUS
--------------------------------------------------------------------------------
56712     01       REPAIR               DAMAGED            METAL DOOR
5N4000          523         BLDG           E    84 01 26    67W         HISTORY

56726     01       INSTALL              NEW                PHONE LINE PR 036
5U4001          465         SOUTH END      Y    84 01 27    63I         HISTORY

56973     01       NEED                 1 COVER FOR        ANTENNA
5N8006          1182        1ST DECK       B    84 02 02    64R         CANCELLED

57265     01       REPAIR               TV                 ANTENNA
5N4001          58          RM 201         U    84 02 08    86B         HISTORY

57614     01       REPLACE              3"                 RELIEF VALVE
5U4003          595         NORTH SIDE     P    84 02 14    68A         HISTORY
--------------------------------------------------------------------------------
F1=WO NUM SEARCH: ____
SF1=BLDG SEARCH: _____  F8=CUST SEARCH: ____      SF5=DISPLAY WO NUM _____
F2=FIRST PAGE              F3=NEXT PAGE               F4=PREVIOUS PAGE
F10=PRINT DIRECTORY        SF9=RETURN TO WO DISPLAY   SF10=RETURN TO MAIN MENU
```

In the History Directory the date completed is displayed instead of the date received. The function keys are identical to those in the Active Directory. See paragraph 3.6.

We will press SF10 to return to the Main Menu Screen (100).

4.4 EMERGENCY/SERVICE MAIN MENU

```
                    ***  EMERGENCY/SERVICE SYSTEM  ***        MAIN MENU 100
                         ***  MAIN MENU  ***                  RELEASE 2.0

*********************************************************************************
*                                                                             *
*              F1 = ACTIVE WORK ORDERS                                        *
*                                                                             *
*              F2 = HISTORY WORK ORDERS                                       *
*                                                                             *
*              F3 = TRANSFER ACTIVE WORK ORDERS TO HISTORY WORK ORDERS        *
*                                                                             *
*              F4 = REPORT GENERATOR MENU                                     *
*                                                                             *
*             SF9 = END PROCESSING AND LOG OFF TERMINAL                       *
*                                                                             *
*********************************************************************************
```

Having explored the History Work Orders we will press F3 to purge Active Work Orders to History.

4.5 PURGE WORK ORDERS

```
        ***   EMERGENCY/SERVICE SYSTEM  ***              PURGE 260
          ***   WORK ORDER DIRECTORY ***


-----------------------------------------------------------------------



        PURGE JOBS FROM THE ACTIVE FILE WITH
            COMPLETION DATES PRIOR TO (YYMMDD):   86 02 01




-----------------------------------------------------------------------

ENTER=PURGE WORK ORDERS FROM ACTIVE FILE          SF9=RETURN TO MAIN MENU
```

     To purge jobs a purge date must be entered and ENTER pressed. The date
will be checked for validity and, if approved, all work orders in the Active
Directory with a completion date prior to the purge date entered will be moved
from the Active Directory to the History Directory. The status will become
"History"; cancelled jobs will have a status of "Cancelled". If you enter a
purge date and there are no records with completion dates prior to the one
entered a message will flash in the right corner of the screen "THERE ARE NO
RECORDS TO PURGE".

   o Press SF9 to return to the Main Menu Screen (100) without purging work
      orders.

      We will type a date in the blanks and press ENTER to purge.

4.5.1 PURGE COMPLETED DISPLAY

```
            ***  EMERGENCY/SERVICE SYSTEM  ***              PURGE 260
             ***  WORK ORDER DIRECTORY ***


 -----------------------------------------------------------------------



         PURGE JOBS FROM THE ACTIVE FILE WITH
              COMPLETION DATES PRIOR TO (YYMMDD):  86 02 01




 -----------------------------------------------------------------------
                                                   ***  PURGE COMPLETE  ***

 ENTER=PURGE WORK ORDERS FROM ACTIVE FILE          SF9=RETURN TO MAIN MENU
```

Once the date is verified, a flashing message will appear at the bottom of
the screen "SYSTEM IS NOW PURGING JOBS FROM THE ACTIVE FILE TO THE HISTORY
FILE". There will be a slight delay while the purge takes place. When the
purge is complete, a message will appear in the lower right corner of the
screen "*** PURGE COMPLETE ***".

We will now press SF9 to return to the Main Menu Screen (100).

CHAPTER 5. REPORT GENERATOR

5.1 EMERGENCY/SERVICE MAIN MENU

```
        ***   EMERGENCY/SERVICE SYSTEM   ***          MAIN MENU 100
              ***   MAIN MENU   ***                   RELEASE 2.0


**********************************************************************************
*                                                                              *
*                 F1 = ACTIVE WORK ORDERS                                      *
*                                                                              *
*                 F2 = HISTORY WORK ORDERS                                     *
*                                                                              *
*                 F3 = TRANSFER ACTIVE WORK ORDERS TO HISTORY WORK ORDERS      *
*                                                                              *
*                 F4 = REPORT GENERATOR MENU                                   *
*                                                                              *
*             SF9 = END PROCESSING AND LOG OFF TERMINAL                        *
*                                                                              *
**********************************************************************************
```

We will now press F4 to evoke the Report Generator.

5.2   REPORT GENERATOR MAIN MENU

```
          ***   EMERGENCY/SERVICE SYSTEM  ***        REPORT MENU 500
                ***   MAIN MENU  ***


**************************************************************************
*                                                         ·              *
*                F1 = IN-HOUSE STATUS REPORTS                            *
*                                                                        *
*                F2 = OPERATOR'S INDEX REPORTS                           *
*                                                                        *
*                F3 = CUSTOMER STATUS REPORTS                            *
*                                                                        *
*                F4 = SUMMARY REPORTS                                    *
*                                                                        *
*                F5 = PRINT LISTING OF STANDARD REPORTS                  *
*                                                                        *
*                SF9 = RETURN TO MAIN MENU                               *
*                                                                        *
**************************************************************************
```

The Report Generator allows you to generate standard report formats with
the option of selecting specific records, sort sequences, and page breaks. The
Report Generator Menu Screen (500) is accessed by pressing F4 on the E/S Main
Menu Screen (100). Four report formats are available: In-house Status Report,
Operators Index Report, Customer Status Report, and Summary Report. The
process for creating, modifying, or running any of the report formats is
identical. On the ensuing pages, this process will be demonstrated for the
In-House Status Report only.

   o Press F1 to access In-house Status Reports. See paragraph 5.3.

   o Press F2 to access Operator's Index Reports. See paragraph 5.11.

   o Press F3 to access Customer Status Reports. See paragraph 5.12.

   o Press F4 to access Summary Reports. See paragraph 5.13.

   o Press F5 to print a hardcopy listing of the standard reports currently
      stored in the report generator. See Appendix A for a sample listing.

   o Press SF9 to return to the Main Menu.

      We will press F1 to access In-house Status Reports.

5.3   IN-HOUSE STATUS REPORT DISPLAY

```
                        ***  EMERGENCY SERVICES  ***            DISPLAY 505
                        ***  IN-HOUSE STATUS REPORT  ***
--------------------------------------------------------------------------
     REPORT NUMBER:  05
     REPORT TITLE:  CUSTOMERS FOR OCTOBER 1985
     FILE SELECTION:  ACTIVE:   HISTORY:  X  BOTH:      (ENTER AN "X" BY ONE)
     SELECTION CRITERIA:
          ITEM NO    VALUE(FROM)              VALUE(TO)
            08       851001                   851031
            03       01


     SORT SEQUENCE:  ITEM 1:  05      PAGE BREAK 1 - ITEM NO:  05
                     ITEM 2:  06      PAGE BREAK 2 - ITEM NO:
                     ITEM 3:
                     ITEM 4:
                     ITEM 5:
--------------------------------------------------------------------------
F1=FIND REPORT NO: __      F5=ADD      F6=MODIFY      F7=DELETE
F8=TEMPORARY REPORT        F9=GENERATE REPORT         SF8=HELP
SF9=RETURN TO REPORT GENERATOR MENU             SF10=RETURN TO MAIN MENU
```

The Display Report Screen (505) is accessed by pressing F1 on the Report Generator Menu Screen (500). Upon initial entry, the screen will appear as a blank form.

o   Enter a report number in the space provided and press F1 to find and display an existing report.

o   Press F5 to add a new report. See paragraph 5.4.

o   Press F6 to modify the displayed report. See paragraph 5.6.

o   Press F7 to delete the displayed report. See paragraph 5.7.

o   Press F8 to create a temporary report. See paragraph 5.8.

o   Press F9 to generate the displayed report. See paragraph 5.9.

o   Press SF8 to display a HELP Screen listing the data items available for selection. See paragraph 5.5.

o   Press SF9 to return to the Report Generator Menu (500).

o   Press SF10 to return to the E/S Main Menu (100).

    We will press F5 to add a new report.

5.4 ADD IN-HOUSE STATUS REPORT

```
                    ***   EMERGENCY SERVICES  ***                    ADD 510
                    ***  IN-HOUSE STATUS REPORT  ***
-------------------------------------------------------------------------
     REPORT NUMBER:  __
     REPORT TITLE:  _____
     FILE SELECTION:  ACTIVE: _ HISTORY:  _  BOTH:  _   (ENTER AN "X" BY ONE)
     SELECTION CRITERIA:
         ITEM NO    VALUE(FROM)                  VALUE(TO)
           __      --------------------      -----------------------
           __      --------------------      -----------------------
           __      --------------------      -----------------------
           __      --------------------      -----------------------
           __      --------------------      -----------------------

     SORT SEQUENCE:  ITEM 1:  __        PAGE BREAK 1 _ ITEM NO:  __
                     ITEM 2:  __        PAGE BREAK 2 _ ITEM NO:  __
                     ITEM 3:  __
                     ITEM 4:  __
                     ITEM 5:  __
-------------------------------------------------------------------------
ENTER=ADD-REPORT-FORMAT        SF8=HELP       SF9=EXIT-WITHOUT-ADDING-REPORT
```

The Add Report Screen (510) is accessed by pressing F5 on the Display
Report Screen (505). To add a report:

o   Enter a report number. This is a required numeric field.

o   Enter a report title. This title will appear centered at the top of
    the generated report. If you do not enter a title, the system will
    title the report by whatever the Item 1 Sort Sequence is (such as,
    REPORT BY BUILDING NUMBER).

o   Choose a file selection by placing an 'X' to the right of the desired
    file. A file selection is required. Only one file selection may be
    entered.

o   Specify selection criteria by entering item numbers and to/from
    values. Up to five criteria may be specified. The selection criteria
    determines which work orders will appear in the generated report. Only
    those work orders which meet all the selection criteria will be
    included in the report. See Appendix D for Report Selection examples.

Example: To select all work orders for services that were completed in
          October 1985, enter

                  Item No.   Value(from)   Value(to)
                  03   01
                  08   851001   851031

o Specify sort sequence desired by entering item numbers in the order in
   which sorting is desired. Up to five sorts may be specified. All
   sorts will be ascending, or smallest to largest. After all requested
   sorts are made, an extra sort by work order number will be made
   automatically.

Example: To sort the report output by customer, then by date received
           within each customer, enter Ø5 as item 1 and Ø6 as item 2.

o Specify page breaks desired by entering item numbers which should
   trigger page breaks. Page breaks will occur whenever a new value for
   the specified item number is reached in the report. Any item number
   specified for a page break must also be specified as a sort item to
   ensure proper breaking.

Example: To have each customer's work orders printed on separate pages,
           enter Ø5 as page break item.

o Press ENTER to save the new report. The report will be stored
   permanently in the system until you delete it.

o Press SF8 to display a HELP Screen listing the items available for
   selection.

o Press SF9 to exit the Add Report Screen without adding a report and
   return to the Display Report Screen (5Ø5).

   We will press SF8 to display the Selection Choices Screen (8ØØ).

5.5 SELECTION CHOICES DISPLAY

```
                    ***  EMERGENCY/SERVICE SYSTEM  ***          DISPLAY 800
                       ***  SELECTION CHOICES  ***

----------------------------------------------------------------------------
1-JOB ORDER NO      9-PRIM WC/C ASGN    16-PRIM WC/C PERF    23-WORK LOCATION

2-WORK ORDER NO     10-PRIM WC/C STD    17-PRIM WC/C HRS     24-BUILDING NO

3-LC CODE           11-SECD WC/C ASGN   18-SECD WC/C PERF    25-EQUIPMENT NO

4-DELAY CODE        12-SECD WC/C STD    19-SECD ACT HRS      26-INVENTORY CODE

5-CUSTOMER CODE     13-THRD WC/C ASGN   20-THRD WC/C PERF    27-CALLER'S NAME

6-DATE RECEIVED     14-THRD WC/C STD    21-THRD ACT HRS      28-CRAFTSMAN

7-DATE STARTED      15-DESCRIPTION (N)  22-TOTAL COST        29-STATUS CODE

8-DATE COMPLETED
----------------------------------------------------------------------------
                ENTER=RETURN TO REPORT SELECTION SCREEN
```

The Display Selection Choices Screen (800) is a HELP Screen and is accessed by pressing SF8 on the Display, Add, Modify, or Temporary Report Screens. The selection choices is a listing of the data items available for selection for a report.

o   Decide which items to choose, note the item numbers of those items and press ENTER to return to the report screen.

After pressing SF9 to exit without adding a report, we will press F6 to modify.

5.6   MODIFY IN-HOUSE STATUS REPORT

```
                     ***  EMERGENCY SERVICES  ***                MODIFY 515
                     ***  IN-HOUSE STATUS REPORT  ***
---------------------------------------------------------------------------
     REPORT NUMBER:  Ø5
     REPORT TITLE:  CUSTOMERS FOR OCTOBER 1985_____
     FILE SELECTION:  ACTIVE: _ HISTORY:  X  BOTH: _    (ENTER AN "X" BY ONE)
     SELECTION CRITERIA:
          ITEM NO    VALUE(FROM)                 VALUE(TO)
            Ø8        851ØØ1_____        851Ø31_____
            Ø3        Ø1_____        _____
            --        _____        _____
            --        _____        _____
            --        _____        _____


     SORT SEQUENCE:  ITEM 1:  Ø5      PAGE BREAK 1 - ITEM NO:  Ø5
                     ITEM 2:  Ø6      PAGE BREAK 2 - ITEM NO:  __
                     ITEM 3:  __
                     ITEM 4:  __
                     ITEM 5:  __
---------------------------------------------------------------------------
ENTER=MODIFY FORMAT          SF8=HELP          SF9=EXIT WITHOUT MODIFYING FORMAT
```

The Modify Report Screen (515) is accessed by pressing F6 on the Display
Report Screen (5Ø5).

- o To modify the displayed report, make modifications and press ENTER to
  save modifications. Report number is a nonmodifiable field since it is
  a key field.

- o Press SF8 to display a HELP Screen listing the data items available for
  selection.

- o Press SF9 to exit the Modify Report Screen without saving modifications
  and return to the Display Report Screen (5Ø5).

  We will press SF9 to return to the Display Report Screen (5Ø5) without
  modifying, then press F7 to delete.

5.7 DELETE IN-HOUSE STATUS REPORT

```
                           ***  EMERGENCY SERVICES  ***              DELETE 520
                           ***  IN-HOUSE STATUS REPORT  ***
----------------------------------------------------------------------------
      REPORT NUMBER:  05
      REPORT TITLE:  CUSTOMERS FOR OCTOBER 1985
      FILE SELECTION:  ACTIVE:   HISTORY:  X  BOTH:      (ENTER AN "X" BY ONE)
      SELECTION CRITERIA:
           ITEM NO    VALUE(FROM)                VALUE(TO)
             03         01
             08         851001                     851031


      SORT SEQUENCE:  ITEM 1:  05      PAGE BREAK 1 _ ITEM NO:   05
                      ITEM 2:  06      PAGE BREAK 2 _ ITEM NO:
                      ITEM 3:
                      ITEM 4:
                      ITEM 5:        '
----------------------------------------------------------------------------
ENTER=DELETE REPORT FORMAT                     SF9=EXIT WITHOUT DELETING REPORT
```

The Delete Report Screen is accessed by pressing F7 on the Display Report
Screen.

o Press ENTER to delete the displayed report.

o Press SF9 to exit the Delete Report Screen without deleting the report
   and return to the Display Report Screen.

   We will press SF9 to return to the Display Report Screen (505) without
   deleting, then press F8 to create a temporary report.

5.8 TEMPORARY IN-HOUSE STATUS REPORT

```
                        ***  EMERGENCY SERVICES  ***              TEMPORARY 525
                        ***  IN-HOUSE STATUS REPORT  ***
------------------------------------------------------------------------------
        REPORT NUMBER:   __
        REPORT TITLE:  _____
        FILE SELECTION:  ACTIVE: _ HISTORY:  _  BOTH:  _    (ENTER AN "X" BY ONE)
        SELECTION CRITERIA:
            ITEM NO    VALUE(FROM)                VALUE(TO)
              __       --------------------       ----------------------
              __       --------------------       ----------------------
              __       --------------------       ----------------------
              __       --------------------       ----------------------
              __       --------------------       ----------------------


        SORT SEQUENCE:  ITEM 1:  __       PAGE BREAK 1 - ITEM NO:  __
                        ITEM 2:  __       PAGE BREAK 2 - ITEM NO:  __
                        ITEM 3:  __
                        ITEM 4:  __
                        ITEM 5:  __
------------------------------------------------------------------------------
ENTER=TEMPORARY FORMAT        SF8=HELP       SF9=EXIT WITHOUT ESTABLISHING FORMAT
```

The Temporary Report Screen is accessed by pressing F8 on the Display Report Screen. A temporary report is simply a report you wish to create and generate, but not save as a permanent report.

o To create a temporary report, enter the appropriate data the same as you would when adding a permanent report, and press ENTER. Report number is not a required field for a temporary report.

o Once created, the temporary report may be generated, modified, and deleted the same as a permanently stored report.

o While the temporary report is displayed on the Display Report Screen, the temporary report will remain stored as long as you only press functions F6 for modify, SF8 for help, or F9 for generate report. The function F7 for delete only deletes the report if you follow through and press ENTER on the delete screen. Any other function key on the Display Report Screen which is pressed will result in deletion of the temporary report from storage.

o Press SF8 to display a HELP Screen listing the items available for selection.

o Press SF9 to exit the Temporary Report Screen without establishing a temporary report and return to the Display Report Screen.

   We will press SF9 to return to the Display Report Screen without establishing a temporary report, press F1 after entering a report number to display the Report Screen (505), and then press F9 to generate a report.

5.9 IN-HOUSE STATUS REPORT

```
DATE: 86/Ø5/13        ***  EMERGENCY/SERVICE SYSTEM  ***            REPORT 53Ø
                      ***  CUSTOMERS FOR OCTOBER 1985  ***
```

JOB ORDER NO.	DESCRIPTION	REC'D	WC/1	WC/2	WC/3	COST	CC	DLY
WO LCC INV		STRTD	S-HR	S-HR	S-HR	T-STD	BLDG	NO.
EQP NO		CMPLTD	A-HR	A-HR	A-HR	T-ACT	WORK	LOC
CALLER	PHONE NO.	STATUS	CRAFTSMAN					
-----	-----	-----	-----	-----	-----	-----	-----	-----
5N4ØØØ	REPAIR	851ØØ9	68A				A	B
68368 Ø1	LINE	851ØØ9	1.1				1.1	72
	WATER LEAK	851Ø1Ø	6.Ø				6.Ø	N.E.
PAM	4294	H MAURICE						CORN.
5N4ØØØ	CHANGE	851Ø1Ø	55E				A	B
68372 Ø1	2 FLO	851Ø1Ø	.6				.6	52
	FIXTURE	851Ø1Ø	.5				.5	2ND
DEBGODA	4314	H ANA						DECK
5N4ØØØ	REPAIR	851Ø1Ø	62A	61E	55P		A	B
68421 Ø1	CIRCUIT	851Ø1Ø	1.1				1.1	45
	BREAKER	851Ø1Ø	.5	1.Ø	3.Ø		4.5	
JOHN	4294	H BILL/STEPHEN						

```
F2=FIRST PAGE              F3=NEXT PAGE              F4=PREVIOUS PAGE
F9=REPORT SUMMARY          F1Ø=PRINT REPORT/SUMMARY  SF9=EXIT REPORT
IN-HOUSE ENTRIES:  123Ø
```

    The Report Screen is accessed by pressing F9 on the Display Report Screen. The Report Screen displays the data output generated by running a particular report. Only those work orders which met the selection criteria specified for the report are contained in the data output. The information pertaining to a specific work order is displayed on four separate lines of the output. Note in the lower left corner of the screen, the total number of work orders contained in the report output is displayed.

    o Press F2 to display the first page of the report output.

    o Press F3 to display the next page of the report output.

    o Press F4 to display the previous page of the report output.

    o Press F9 to display the report summary associated with the report output.

    o Press F1Ø to print a hardcopy of the report output and report summary. See Appendix A for a sample hardcopy report.

o   Press SF9 to exit the Report Screen and return to the Display Report
    Screen (5Ø5).

    We will press F9 to display the Report Summary.

5.10 SUMMARY REPORT DISPLAY

```
DATE:  86/05/13        ***  EMERGENCY/SERVICE SYSTEM  ***      REPORT DISPLAY 540
RECORDS FOUND:  1230      ***   SUMMARY REPORT   ***
```

		TOTAL
A.	JOBS FOUND	1230
B.	COMPLETED JOBS	1230
C.	UNCOMPLETED JOBS	
D.	AVE. COMPLETED HOURS (H/B)	3.4
E.	AVE. TURNAROUND TIME (DAYS)	5.5
F.	AVE. COST (DOLLARS)	15.2

		TOTAL	W/P705 STD	W/O P705 STD
G.	ESTIMATED HOURS	3700.0	3650.0	50.0
H.	COMPLETED HOURS	4200.0	4100.0	100.0
I.	UNCOMPLETED HOURS			
J.	P705 USAGE/NONUSAGE (G/G1*100%)	100.0%	97.5%	2.5%
K.	LABOR PERFORMANCE ((G-I)/H*100%)	88.1%	89.0%	50.0%
L.	EPS UTILIZATION ((G2-I2)/H1*100%)	***	86.9%	***

```
F10=PRINT SUMMARY REPORT                        SF9=EXIT SUMMARY REPORT
```

     The summary report is accessed by pressing F9 on the Report Screen. The summary report is a brief statistical analysis of the work orders selected for the report. See Appendix B for definitions of the statistical items shown.

o Press F10 to print a hardcopy of the summary report. See Appendix A for a sample hardcopy summary report.

o Press SF9 to exit the summary report and return to the Report Screen.

   We will press SF9 three times to return to the Report Generator Main Menu Screen (500), then press F2 to access the Operator's Index Report Screen (605).

5.11 OPERATOR'S INDEX REPORT DISPLAY

```
                        ***  EMERGENCY SERVICES  ***            DISPLAY 605
                        ***  OPERATOR'S INDEX REPORT  ***
----------------------------------------------------------------------------
      REPORT NUMBER: 05
      REPORT TITLE:  CUSTOMERS FOR OCTOBER 1985
      FILE SELECTION:  ACTIVE:   HISTORY:  X  BOTH:      (ENTER AN "X" BY ONE)
      SELECTION CRITERIA:
           ITEM NO    VALUE(FROM)                 VALUE(TO)
             03         01
             08         851001                      851031



      SORT SEQUENCE:  ITEM 1:  05      PAGE BREAK 1 - ITEM NO:  05
                      ITEM 2:  06      PAGE BREAK 2 - ITEM NO:
                      ITEM 3:
                      ITEM 4:
                      ITEM 5:
----------------------------------------------------------------------------
F1=FIND REPORT NO: __       F5=ADD        F6=MODIFY       F7=DELETE
F8=TEMPORARY REPORT         F9=GENERATE REPORT            SF8=HELP
SF9=RETURN TO REPORT GENERATOR MENU                       SF10=RETURN TO MAIN MENU
```

The Display Report Screen (605) is accessed by pressing F2 on the Report Generator Menu Screen (500). Upon initial entry, the screen will appear as a blank form.

o   All functions on this screen work the same as the functions on Display Screen (505) for the In-House Status Report. Screens within the available functions are numbered in the 600 series rather than the 500 series. See paragraph 5.3 for detailed explanations of these functions.

We will press F9 to generate an Operator's Index Report.

5.11.1 OPERATOR'S INDEX REPORT

```
DATE:  86/05/13        ***  EMERGENCY/SERVICE SYSTEM  ***           REPORT 630
                       ***  OPERATOR'S INDEX REPORT  ***
                             CUSTOMERS FOR OCTOBER 1985
```

JOB ORDER NO WORK ORDER	DESC OF WORK (NOUN) LCC EQP NUMBER	DATE RECD	DATE STRT	DATE COMP	CC	BUILDING STATUS	WORK LOCATION
2A1407 28213	SEWER LINE 01	0287	287	287	PH	962D H	BLDG
2A1407 28264	KITCHEN SINK PIPE 01	0288	288	288	PH	943C H	NITE
2A1407 28473	COMMODE 01	0288	288	288	PH	986D H	BATHROOM
2A1407 28514	ELECTRICAL OUTLET 01	0288	288	288	PH	960B H	HOUSE
2A1407 28767	TOILET 01	0288	288	288	PH	950A H	BATHROOM

```
-----------------------------------------------------------------------------
F2=FIRST PAGE                F3=NEXT PAGE                   F4=PREVIOUS PAGE
F9=REPORT SUMMARY            F10=PRINT REPORT/SUMMARY        SF9=EXIT REPORT
OPERATORS ENTRIES:   1230
```

   The Report Screen is accessed by pressing F9 on the Index Report Display
Screen (605). The Report Screen displays the data output generated by running
a particular report. Only those work orders which met the selection criteria
specified for the report are contained in the data output. The information
pertaining to a specific work order is displayed on two separate lines of the
output. Note in the lower left corner of the screen, the total number of work
orders contained in the report output is displayed.

   o All functions on this screen work the same as the functions on Report
      Screen (530) for the In-House Status Report. See paragraph 5.9 for
      detailed explanations of these functions.

      We will press SF9 twice to return to the Report Generator Main Menu
      Screen (500), then press F3 to access the Customer Status Report Screen
      (705).

5.12 CUSTOMER·STATUS REPORT DISPLAY

```
                      ***  EMERGENCY SERVICES  ***              DISPLAY 7Ø5
                      ***  CUSTOMER STATUS REPORT  ***
------------------------------------------------------------------------------
     REPORT NUMBER:  Ø5
     REPORT TITLE:
     FILE SELECTION:  ACTIVE:    HISTORY:  X  BOTH:      (ENTER AN "X" BY ONE)
     SELECTION CRITERIA:
          ITEM NO     VALUE(FROM)                VALUE(TO)
            Ø3        Ø1
            Ø8        851ØØ1                       851Ø31



     SORT SEQUENCE:  ITEM 1:  Ø5      PAGE BREAK 1 - ITEM NO:
                     ITEM 2:  Ø6      PAGE BREAK 2 - ITEM NO:
                     ITEM 3:
                     ITEM 4:
                     ITEM 5:
------------------------------------------------------------------------------
F1=FIND REPORT NO: __      F5=ADD        F6=MODIFY      F7=DELETE
F8=TEMPORARY REPORT        F9=GENERATE REPORT           SF8=HELP
SF9=RETURN TO REPORT GENERATOR MENU                     SF1Ø=RETURN TO MAIN MENU
```

The Display Report Screen (7Ø5) is accessed by pressing F3 on the Report Generator Menu Screen (5ØØ). Upon initial entry, the screen will appear as a blank form.

    o All functions on this screen work the same as the functions on Display Screen (5Ø5) for the In-House Status Report. Screens within the available functions are numbered in the 7ØØ series rather than the 5ØØ series. See paragraph 5.3 for detailed explanations of these functions.

       We will press F9 to generate a customer status report.

5.12.1 CUSTOMER STATUS REPORT

```
DATE: 86/05/13         ***  EMERGENCY/SERVICE SYSTEM  ***              REPORT 730
                       ***   CUSTOMER STATUS REPORT   ***
                  ***  CUSTOMER STATUS REPORT BY CUSTOMER CODE  ***

JOB ORDER NO   DESCRIPTION OF WORK (VERB, ADJECTIVE, NOUN)
WO #  LCC CC   BLDG NO     WORK LOC    INV EQP NO         CALLER
DATE REC'D     DATE START  DATE COMPL STATUS              PHONE NO
-----------------------------------------------------------------------------

2A010          REMOVE                 DEBRIS             FROM GUTTER
28649  01  A   952F        BLDG                          HANEY
85 10 04       85 10 05    85 10 05  H                   5558725


2A1038         DISCONNECT             CONNECT            STOVE
28313  01  A   973B        KITCHEN                       WRIGHT
85 10 22       85 10 22    85 10 22  H                   555-0876


2A1102         SPRAY                  HOUSE FOR          SPIDERS
28258  01  A   962C        HOUSE                         RODRIGUEZ
85 10 22       85 10 24    85 10 24  H                   4861873
-----------------------------------------------------------------------------
F2=FIRST PAGE                  F3=NEXT PAGE               F4=PREVIOUS PAGE
F9=REPORT SUMMARY              F10=PRINT REPORT/SUMMARY   SF9=EXIT REPORT
DISPLAY CUSTOMER STATUS ENTRIES:  1230
```

The Report Screen is accessed by pressing F9 on the Display Report Screen. The Report Screen displays the data output generated by running a particular report. Only those work orders which met the selection criteria specified for the report are contained in the data output. The information pertaining to a specific work order is displayed on three separate lines of the output. Note in the lower left corner of the screen, the total number of work orders contained in the report output is displayed.

o All functions on this screen work the same as the functions on Report Screen (530) for the In-House Status Report. See paragraph 5.9 for detailed explanations of these functions.

   We will press SF9 twice to return to the Report Generator Main Menu Screen (500), then press F4 to access the Summary Report Screen (805).

5.13 SUMMARY REPORT DISPLAY

```
                    ***  EMERGENCY SERVICES  ***              DISPLAY 805
                    ***   SUMMARY REPORT   ***
-----------------------------------------------------------------------------
     REPORT NUMBER: 05
     REPORT TITLE: CUSTOMERS FOR FISCAL YEAR 1985
     FILE SELECTION:  ACTIVE:   HISTORY:     BOTH:  X    (ENTER AN "X" BY ONE)
     SELECTION CRITERIA:
          ITEM NO    VALUE(FROM)                  VALUE(TO)
          03         01
          08         851001                       860930



     SORT SEQUENCE:  ITEM 1:         PAGE BREAK 1 - ITEM NO:
                     ITEM 2:         PAGE BREAK 2 - ITEM NO:
                     ITEM 3:
                     ITEM 4:
                     ITEM 5:
-----------------------------------------------------------------------------
F1=FIND REPORT NO: __      F5=ADD       F6=MODIFY       F7=DELETE
F8=TEMPORARY REPORT        F9=GENERATE REPORT           SF8=HELP
SF9=RETURN TO REPORT GENERATOR MENU                     SF10=RETURN TO MAIN MENU
```

The Display Summary Report Screen (805) is accessed by pressing F4 on the Report Generator Menu Screen (500). Upon initial entry, the screen will appear as a blank form.

o All functions on this screen work the same as the functions on the Display Screen (505) for the In-House Status Report. Screens within the available functions are numbered in the 800 series rather than the 500 series. See paragraph 5.3 for detailed explanations of these functions.

We will press F9 to generate a summary report.

5.13.1 SUMMARY REPORT

```
DATE:  86/05/13        ***  EMERGENCY/SERVICE SYSTEM  ***     REPORT DISPLAY 835
RECORDS FOUND:  10000   ***  SUMMARY REPORT  ***
```

	TOTAL		
A. JOBS FOUND	10000		
B. COMPLETED JOBS	8000		
C. UNCOMPLETED JOBS	2000		
D. AVE. COMPLETED HOURS (H/B)	5.3		
E. AVE. TURNAROUND TIME (DAYS)	3.1		
F. AVE. COST (DOLLARS)	20.3		

	TOTAL	W/P705 STD	W/O P705 STD
G. ESTIMATED HOURS	40000.0	39000.0	1000.0
H. COMPLETED HOURS	42000.0	41000.0	1000.0
I. UNCOMPLETED HOURS	3000.0	2500.0	500.0
J. P705 USAGE/NONUSAGE (G/G1*100%)	100.0%	97.5%	2.5%
K. LABOR PERFORMANCE ((G-I)/H*100%)	88.1%	89.0%	50.0%
L. EPS UTILIZATION ((G2-I2)/H1*100%)	***	86.9%	***

```
F10=PRINT SUMMARY REPORT                         SF9=EXIT SUMMARY REPORT
```

The Summary Report is accessed by pressing F9 on the Display Summary Report Screen (805). The summary report is a brief statistical analysis of the work orders selected for the report. See Appendix B for definitions of the statistical items shown.

o Press F10 to print a hardcopy of the summary report. See Appendix A for a sample hardcopy summary report.

o Press SF9 to exit the summary report and return to the Display Summary Report Screen.

```
         ***  EMERGENCY/SERVICE SYSTEM  ***        MAIN MENU 110
         ***  SUPPORT FUNCTIONS MAIN MENU  ***        RELEASE 2.0


******************************************************************************
*                                                                            *
*                                                                            *
*            F1 = UPDATE INITIALIZATION TABLE                                *
*                                                                            *
*            F2 = UPDATE CUSTOMER TABLE                                      *
*                                                                            *
*            F3 = UPDATE LOCAL HANDBOOK                                      *
*                                                                            *
*            F4 = PRINT EPS-705 HANDBOOK                                     *
*                                                                            *
*            F5 = PRINT LOCAL HANDBOOK                                       *
*                                                                            *
*            F6 = ARCHIVE HISTORY                                            *
*                                                                            *
*           SF9 = END PROCESSING                                             *
*                                                                            *
******************************************************************************
```

6.1 SUPPORT FUNCTIONS MAIN MENU. The Support Functions are those functions of
the E/S Module which support the module to ensure its smooth execution. The
Support Functions Main Menu is accessed outside of the E/S Main Menu by the
system administrator rather than a typical user through the BEST System Menus.
These functions are not used by the E/S clerk during daily work routine. The
Initialization Table, Customer Table, and Local Handbook should be set up as
completely as possible prior to attempting execution of the E/S module. The
tables may be updated periodically as needed, and the print and archive
functions used when the need arises.

>   o Press F1 to update the Initialization Table. See paragraph 6.2.

>   o Press F2 to update the Customer Table. See paragraph 6.3.

>   o Press F3 to update the Local Standards Handbook. See paragraph 6.4.

>   o Press F4 to print a hardcopy of the EPS-705 Handbook.

>   o Press F5 to print a hardcopy of the Local Handbook. See Appendix A for
>   a sample printout.

>   o Press F6 to access the Archive History Screen to archive history jobs
>   to an archive file. See paragraph 6.5.

>   o Press SF9 to exit from the E/S Support Functions Main Menu (110).

>   We will press F1 to access the Initialization Table Screen (115).

6.2 INITIALIZATION TABLE

```
         ***  EMERGENCY/SERVICE SYSTEM  ***              MODIFY 115
       ***  INITIALIZATION TABLE INFORMATION  ***

--------------------------------------------------------------------


        ENTER DESIRED STARTING WORK ORDER NUMBER:  57758

        MODIFY HISTORY:  (Y OR N):  Y

        PRINT STANDARD HOURS ON CHIT?  (Y OR N):  Y



--------------------------------------------------------------------

ENTER=SAVE MODIFICATIONS                      SF9=EXIT WITHOUT MODIFYING
```

The Initialization Table Screen (115) is accessed by pressing F1 on the Support Functions Main Menu Screen (11Ø). The initialization table contains information necessary to execute the E/S Module successfully, and thus should be set up prior to attempting to execute the E/S module.

o Enter desired starting work order number of your choice. Only numerics are valid. The number entered will be assigned to the first work order added by a user. Once a new work order is added, the starting work order number will automatically advance to the next sequential number.

   NOTE: To reuse work order numbers for jobs which have been deleted, reset the starting work order number to the desired number you wish to reuse. The system will automatically generate all deleted numbers and then move on to the next available number in the file.

o Enter a Y or N to indicate whether or not users will be allowed to modify jobs in history. This is a required field.

o Enter a Y or N to indicate whether or not the Standard Hours field will appear on a printed hardcopy chit. This is a required field.

o Press ENTER to save modifications. The message "*** RECORD HAS BEEN MODIFIED ***" will appear to indicate that the save has taken place.

o   Press SF9 to exit the Initialization Table Screen without saving
    modifications or after saving modifications, and return to the Support
    Functions Main Menu Screen (11Ø).

    We will press SF9 to return to the Main Menu Screen (11Ø), then press
    F2 to access the Customer Table Display Screen (12Ø).

6.3 CUSTOMER TABLE DISPLAY

```
        ***  EMERGENCY/SERVICE SYSTEM  ***          DISPLAY 120
        ***  CUSTOMER TABLE INFORMATION  ***

-------------------------------------------------------------------------


               CUSTOMER CODE:      A

               CUSTOMER NAME:      AM




-------------------------------------------------------------------------
F1=SEARCH FOR CUSTOMER: ____
F2=FIRST RECORD    F3=NEXT RECORD    F4=PREVIOUS RECORD    F5=ADD    F6=MODIFY
F7=DELETE          F10=PRINT CUSTOMER REPORT             SF9=RETURN TO MENU
```

The Display Customer Table Screen (120) is accessed by pressing F2 on the Support Functions Main Menu Screen (110). The customer table contains all valid customer codes to be entered on E/S chits. The records are displayed in alphanumeric sequence. This table should be set up prior to attempting to execute the E/S Module, since only valid customer codes may be entered on a chit.

> o Enter a customer code and press F1 to search for a specific customer record.

> o Press F2 to display the first record in the customer table.

> o Press F3 to display the next record in the customer table.

> o Press F4 to display the previous record in the customer table.

> o Press F5 to add a customer record. See paragraph 6.3.1.

> o Press F6 to modify a customer record. See paragraph 6.3.2.

> o Press F7 to delete a customer record. See paragraph 6.3.3.

> o Press F10 to print a hardcopy of the Customer Table. See Appendix A for a sample printout.

> o Press SF9 to exit the Display Customer Screen and return to the Support Functions Main Menu (110).

> We will press F5 to add.

6.3.1 ADD CUSTOMER

```
                  ***  EMERGENCY/SERVICE SYSTEM  ***              ADD 125
                  ***  CUSTOMER TABLE INFORMATION  ***

------------------------------------------------------------------------------




                  CUSTOMER CODE:        ____

                  CUSTOMER NAME:        _____



------------------------------------------------------------------------------

ENTER=ADD THIS RECORD                        SF9=EXIT WITHOUT ADDING RECORD
```

The Add Customer Screen (125) is accessed by pressing F5 on the Display Customer Screen (120).

o To add a customer record, enter a customer code and customer name, both required alphanumeric fields, and press ENTER. The record will be added and placed in the alphanumeric sequence of the table.

o Press SF9 to exit the Add Customer Screen without adding a record, and return to the Display Customer Screen (120).

   We will press SF9 to return to the Display Customer Screen (120) without adding, then press F6 to modify.

6.3.2 DELETE CUSTOMER

```
              ***  EMERGENCY/SERVICE SYSTEM  ***              DELETE 135
              ***  CUSTOMER TABLE INFORMATION  ***

----------------------------------------------------------------------


              CUSTOMER CODE:      A

              CUSTOMER NAME:      AM




----------------------------------------------------------------------

ENTER=DELETE RECORD                              SF9=EXIT WITHOUT DELETING
```

   The Delete Customer Screen (135) is accessed by pressing F7 on the Display
Customer Screen (120).

   o Press ENTER to delete a customer record

   o Press SF9 to exit the Delete Customer Screen without deleting the
      customer record and return to the Display Customer Screen (120).

      We will press SF9 twice to return to the Support Functions Main Menu
      (110) without deleting. Then press F3 to access the Local Standard
      Screen (160).

6.4 LOCAL STANDARDS HANDBOOK

```
                    ***  EMERGENCY/SERVICE SYSTEM  ***           DISPLAY 16Ø
                    ***  LOCAL STANDARDS HANDBOOK  ***

---------------------------------------------------------------------------

      WORK CODE:  LØØ1

      NOUN:       ELECTRICAL

      DESCRIPTION:  REPAIR ELECTRICAL OUTLET

      TRAVEL ZONE 1-4 STANDARD HOURS:  Ø.5

      TRAVEL ZONE 5-9 STANDARD HOURS:  Ø.6

---------------------------------------------------------------------------
F1=SEARCH FOR WORK CODE:  L___
F2=FIRST RECORD    F3=NEXT RECORD    F4=PREVIOUS RECORD    F5=ADD    F6=MODIFY
F7=DELETE          F1Ø=PRINT LOCAL STANDARDS              SF9=RETURN TO MENU
```

The Display Local Standard Screen (16Ø) is accessed by pressing F3 on the
Support Functions Main Screen (11Ø). The Local Standards Handbook contains E/S
time standards developed locally by an activity to cover those task areas which
are not sufficiently covered by the EPS-7Ø5 handbook standards.

- o Enter a local work code and press F1 to search for a specific local
     standard record.

- o Press F2 to display the first record in the Local Standards Handbook.

- o Press F3 to display the next record in the Local Standards Handbook.

- o Press F4 to display the previous record in the Local Standards
     Handbook.

- o Press F5 to add a local standard. See paragraph 6.4.1.

- o Press F6 to modify a local standard. See paragraph 6.4.2.

- o Press F7 to delete a local standard. See paragraph 6.4.3.

- o Press F1Ø to print a hardcopy of the Local Standards Handbook.

- o Press SF9 to exit the Display Local Standard Screen and return to the
     Support Functions Display Main Menu (11Ø).

     We will press F5 to add.

6.4.1 ADD A LOCAL STANDARD

```
            ***  EMERGENCY/SERVICE SYSTEM  ***              ADD 165
            ***  LOCAL STANDARDS HANDBOOK  ***

 -----------------------------------------------------------------------

     WORK CODE:  L___

     NOUN:           ----------------------

     DESCRIPTION:  ----------------------------------------------------

     TRAVEL ZONE 1-4 STANDARD HOURS:  ____

     TRAVEL ZONE 5-9 STANDARD HOURS:  ____

 -----------------------------------------------------------------------
 ENTER=ADD THIS RECORD                    SF9=EXIT WITHOUT ADDING RECORD
```

The Add Local Standard Screen (165) is accessed by pressing F5 on the
Display Local Standard Screen (160).

o To add a local standard, enter data and press ENTER. All data fields
   are required except for Travel Zone 5-9 Standard Hours. The work code
   entered must be numeric, and is automatically prefixed with the letter
   "L" to designate that this is a local standard rather than a P-705
   handbook standard.

o Press SF9 to exit the Add Local Standard Screen without adding a
   record, and return to the Display Local Standard Screen (160).

   We will press SF9 to return to Display Local Standard Screen (160),
   then press F6 to modify.

6.4.2 MODIFY A LOCAL STANDARD

```
                    ***  EMERGENCY/SERVICE SYSTEM  ***              MODIFY 17Ø
                    ***  LOCAL STANDARDS HANDBOOK  ***

----------------------------------------------------------------------------

        WORK CODE:  LØØ1

        NOUN:        ELECTRICAL

        DESCRIPTION: REPAIR ELECTRICAL OUTLET

        TRAVEL ZONE 1-4 STANDARD HOURS:  Ø.5

        TRAVEL ZONE 5-9 STANDARD HOURS:  Ø.6

----------------------------------------------------------------------------
ENTER=MODIFY THIS RECORD                       SF9=EXIT WITHOUT SAVING MODIFICATIONS
```

The Modify Local Standard Screen (17Ø) is accessed by pressing F6 on the
Display Local Standard Screen (16Ø).

- o To modify a local standard, make modifications and press ENTER to save
     modifications. Work Code is a nonmodifiable field since it is the key
     in the Local Standards Handbook.

- o Press SF9 to exit the Modify Local Standard Screen without saving
     modifications, and return to the Display Local Standard Screen (16Ø).

     We will press SF9 to return to Display Local Standard Screen (16Ø),
     then press F7 to delete.

6.4.3 DELETE A LOCAL STANDARD

```
        ***  EMERGENCY/SERVICE SYSTEM  ***          DELETE 175
        ***  LOCAL STANDARDS HANDBOOK  ***

------------------------------------------------------------------------

    WORK CODE:  LØØ1

    NOUN:       ELECTRICAL

    DESCRIPTION: REPAIR ELECTRICAL OUTLET

    TRAVEL ZONE 1-4 STANDARD HOURS:  Ø.5

    TRAVEL ZONE 5-9 STANDARD HOURS:  Ø.6

------------------------------------------------------------------------
ENTER=DELETE THIS RECORD                    SF9=EXIT WITHOUT DELETING
```

The Delete Local Standard Screen (175) is accessed by pressing F7 on the Display Local Standard Screen (16Ø).

o Press ENTER to delete a local standard.

o Press F9 to exit the Delete Local Standard Screen (175) without deleting to the local standard, and return to the Display Local Standard Screen (16Ø).

   We will press SF9 twice to return to the Support Functions Display Main Menu (11Ø), then press F6 to access the Archive History Screen (15Ø).

6.5 ARCHIVE HISTORY

```
                    ***  EMERGENCY/SERVICE SYSTEM  ***            ARCHIVE 15Ø
                    ***   ARCHIVE HISTORY  ***

---------------------------------------------------------------------------




        ARCHIVE JOBS FROM THE HISTORY FILE WITH
          A COMPLETION DATE PRIOR TO (YYMMDD):   __ __ __

        ARCHIVE FILE NAME:                ------------------------------------
        ARCHIVE MATERIAL FILE NAME:       ------------------------------------




---------------------------------------------------------------------------
ENTER=ARCHIVE JOBS FROM HISTORY FILE                    SF9=RETURN TO MAIN MENU
```

The Archive History Screen (15Ø) is accessed by pressing F6 on the Support
Functions Main Menu Screen (11Ø). Archive means to move records to a place
where historical documents are preserved. In the case of E/S, archive means to
move E/S jobs from the history file to an archive file.

The main purpose for archiving E/S jobs is to remove old, seldom used jobs
from the history file and place them in an archive file located on a removable
disk pack for safekeeping. Archiving allows the history file to become smaller
in size; this frees up space on the disk drive and also allows the E/S module
to run faster and more efficiently.

An E/S job is stored in two files. The first two pages of a chit are
stored in the file HESFILE. The third page containing chit material
information is stored in the file HESMATL. When a job is archived, all three
pages are archived at the same time.

   o   To archive jobs, enter a completion date and the full pathnames to the
       desired archive files; press ENTER. The archive files may be located
       wherever desired and named any desired name. After the archiving is
       completed, a hardcopy printout summarizing the archive is generated.
       See Appendix A for a sample printout.

   o   Press SF9 to return to the Support Functions Main Menu (11Ø).

GLOSSARY

GLOSSARY

Active Directory. A file containing all active Work Orders and the unpurged completed and cancelled Work Orders.

Actual Hours. The number of hours required for work center/craft to complete work on a work order.

Building Number. An identification number assigned to and marked on each facility at an activity.

Caller's Name. Name of the person calling in the request for services.

Customer Code. Identification code of a customer receiving the Emergency/Service support.

Date Completed. The date on which the Emergency/Service requirement was completed by the Public Works Department.

Date Received. The date on which the Work Receptionist or the duty desk received the request for Emergency/Service support.

Date Started. The date the Emergency/Service work was actually started.

Delay Code. A code used to indicate the reason for nonperformance.

Description (Verb, Adj., Noun). Clear, concise statement of the exact work the originator request and the known material requirements.

Equipment Number. A number that identifies a particular piece of Class 3 or 4 plant property. This number is assigned by the Comptroller Department.

Error Message. A message reporting that an error was detected during computer editing of input information.

History Directory. A file containing all purged completed and cancelled Work Orders.

Inventory Code. A 3-digit code locally assigned by an activity to group like pieces of equipment together; i.e., COM = compressors.

Job Order Number. An accounting number that identifies a customer and is used to accumulate all costs, expenses, and performance data required by the Public Works Department. This number is promulgated by the area authorized accounting activity and may be revised on a fiscal year basis.

Labor Class Code (LCC). A number that specifies the labor type used in support of the Work Order.

Material Required. Material required to accomplish the work order.

P-7Ø5. P-7Ø5 book - Emergency/Service Handbook contains industrial standards for E/S tasks.

Primary Work Center. A number and craft code that identifies the primary work center.

Purge. The action of moving completed Work Orders from Active Directory to the History Directory.

Report Date. The date on which the report is generated.

Screen Number. A unique three digit number which appears in the upper right hand corner of every screen.

Secondary Work Center. A number and craft code that identifies the secondary work center/craft.

Selection Criteria. The specific requirements a Work Order must meet to be on a certain report.

Shop Comments. Notes handwritten on the chit about the actual performance of the work when the chit returns from the shop.

Special Instructions. Notes about doing the work for the benefit of the shop.

Standard Hours. The estimated number of hours for accomplishing a given type of Emergency/Service requirement by a given work center/craft may be a P-7Ø5 standard a local standard, or manually input.

Telephone Number. Telephone number or extension where the originator of the Emergency/Service request can be reached.

Third Work Center. A number and craft code that identifies the third work center/craft.

Time. Twenty-four hour clock time the call was received.

Total Cost. The total labor/material per work order chit.

Work Center/Craft Assigned (WC/C ASGN). A number and craft code that identifies the assigned work area with the Public Works Department.

Work Center/Craft Performing (WC/C PERF). A number and craft code that identifies the performing work area within the Public Works Department. This code allows reassignment of an Emergency/Service requirement to a new work center/craft.

Work Code (W/CODE). A code referring to a specific work standard in the P-7Ø5 Handbook or Local Standard Handbook.

Work Location. The room number or other number identifying a location within a given facility.

Work Order Number. A sequential number assigned to each Emergency/Service Work Order.

Work Receptionist. The person who receives the Work Order.

Zone. The travel zone in which the Work Order (Job Task) is to be performed.

APPENDIX A

PRINTOUT SAMPLES

```
JOB ORDER          DESCRIPTION OF WORK (VERB, ADJECTIVE, NOUN)
WO      LCC  BUILDING    WORK LOC    CUSTOMER    RECEIVED    PRIM ASGN    STATUS
------------------------------------------------------------------------------

2N5073            REPAIR           GAS              LEAK
27924    02  2053        B-14         PW       840210      68B      COMPLETED

2N5010            REPAIR           LEAKY            ROOF
27946    01  63          ROOF         B        840211      51R      COMPLETED

2A1406            REPLACE          BROKEN           DOOR LOCKS
27996    01  943C        HOUSE        PH       840212      55L        ACTIVE

2N5010            RE-ACTIVATE      STEAM TO         BLDG
27997    01  43          BLDG         N        840212      68B        ACTIVE

2A2407            REPLACE          CRACKED          COMMODE SEAT
27998    01  1064B       BATHROOM     PH       840212      55P        ACTIVE

2X8520            REPAIR           LEAKING          MICROFICHE MACHINE
27999    01  2           MICRO RM     R        840212      55P        ACTIVE

2A2416            RELIGHT          HOT              WATER HEATER
28000    01  1044A       HOUSE        PH       840212      55P        ACTIVE

2A2408            REPAIR           BROKEN           FRONT DOOR HINGE
28001    01  1102A       FRT DOOR     PH       840212      55E        ACTIVE

2A1601            FILL-IN          HOLES AROUND     INSPECTION VALVES
28002    01  2090        SEWER LNS    PH       840212      56L        ACTIVE

2N5010            REPAIR           INOPERATIVE      COMMODE
28003    01  293         M/HEAD       Q        840212      55P        ACTIVE

2X8520            PICKUP AND       MOUNT            CHALKBOARD
28005    01  14          RM 169       R        840212      55C        ACTIVE

2A2406            REPLACE          BROKEN           WINDOW SHADE
28006    01  1016        BEDRM        PH       840212      55C        ACTIVE

2X2101            SET              TRAPS FOR        MICE
28007    01  1169        BLDG         K        840212      58P        ACTIVE

2N5010            REPLACE          BURNED OUT       FLO LITES
28008    01  238N        BLDG         U        840212      55E        ACTIVE

2X2218            RE-SECURE        BLDG             SIGNS
28009    01  528         BLDG         B        840212      55C        ACTIVE
```

```
              ***   END OF ACTIVE DIRECTORY   ***
```

```
JOB ORDER          DESCRIPTION OF WORK (VERB, ADJECTIVE, NOUN)
WO      LCC  BUILDING   WORK LOC   CUSTOMER   COMPLETED   PRIM ASGN   STATUS
---------------------------------------------------------------------------
1A79Ø3          REHANG              SAGGING               DOOR
11114   Ø1    4Ø        RM 11Ø      L        84 3 31      53P         HISTORY

2X22Ø9          FABRICATE           DUPLICATE             KEYS
2Ø989   Ø1    14        BLDG        A        84 3 17      55L         HISTORY

2A16Ø1          SPRAY               FOR                   ANTS
22461   Ø1    976C      HOUSE       PH       84 3 2Ø                  HISTORY

2U7Ø25          REPLACE             BURNED OUT            LITES
236Ø4   Ø1  ANNEX 3     BLDG        S        84 3 9       55E         HISTORY

12N5Ø1Ø         REPAIR              BROKEN                FAN
13758   Ø1    11        MENS/HEAD   Z        84 2 1Ø      55E         HISTORY

2A14Ø6          PROVIDE             NEW                   WINDOW SHADES
25897   Ø1    985C      BEDROOMS    PH       84 2 1Ø      55C         HISTORY

2A24Ø7          REPAIR              BROKEN                BROILER DOOR
26Ø38   Ø1    1Ø37      KITCHEN     PH       84 2 1Ø      55P         HISTORY

2A14Ø6          REPAIR              CRACKED               WALL
26Ø55   Ø1    933A      KITCHEN     PH       84 2 1Ø      55P         HISTORY

2A14Ø6          REPLACE             MISSING               CABINET SHELF
26Ø73   Ø1    961C      KITCHEN     PH       84 2 9       55C         HISTORY

2U8Ø33          REPAIR              INOPERATIVE           INTERCOM
26123   Ø1    5Ø        BLDG        M        84 2 1       64E         HISTORY

2A24Ø8          REPAIR              BROKEN                DOOR LOCK
26144   Ø1    1Ø82A     BLDG        PH       84 2 9       55C         HISTORY

2U7Ø25          REPLACE             BROKEN                SAFETY GLASS
26621   Ø1    11        C-63ØØ      S        8424         51C         HISTORY

2U6ØØ3          REPLACE             BROKEN                DOOR
27425   Ø1    56Ø       ROOM 263    P        84  2 11     51C         HISTORY

2X22Ø9          INSTALL             NEW                   BRACKETS
27428   Ø1    14        ROOM 114    A        84 2 5       55C         HISTORY

2N5Ø11          REPLACE             BROKEN                SHOWER HEAD
27872   Ø1    12Ø1      R-212       A        84 2 11      55P         HISTORY


                *** END OF HISTORY DIRECTORY ***
```

```
             ***  EMERGENCY/SERVICE SYSTEM  ***          86 MAY 13
 W O NUMBER:5778Ø    ***  SERVICE WORK AUTHORIZATION  ***
---------------------------------------------------------------------
 CALLER'S NAME      CUSTOMER CODE    BUILDING NUMBER   WORK LOCATION   ZONE
 ANN JONES              A               4Ø               RM 6           3
---------------------------------------------------------------------
 PHONE NUMBER    EQUIPMENT NUM.   INVENTORY CODE   JOB ORDER NUMBER   LC CODE
 X-1234                                                6N4ØØØ            Ø1
---------------------------------------------------------------------
 DESCRIPTION OF WORK (VERB, ADJ, NOUN)
 REPAIR               BROKEN                    DOOR CLOSER
---------------------------------------------------------------------
 SPECIAL        REPAIR BROKEN DOOR CLOSER.  DOORS SLAM SHUT CAUSING DAMAGE TO
 INSTRUCTIONS   THE DOOR HINGES.
                MATERIAL ORDERED 5/5/86
---------------------------------------------------------------------
 DATE RECEIVED                  TIME           WORK RECEPTIONIST
   86  5  1                      8Ø2           JANE SMITH
---------------------------------------------------------------------
 SHOP           DOOR CLOSER BROKEN BEYOND REPAIR.  NEED NEW CLOSER.
 COMMENTS
---------------------------------------------------------------------
 DATE STARTED        DATE COMPLETED           STATUS            DELAY CODE
   86  5  2                                   ACTIVE                M
---------------------------------------------------------------------
 PRIMARY WC/C  STD   PRIMARY   SECOND WC/C  STD   SECOND   THIRD WC/C  STD   THIRD
 ASSIGNED      HOURS WCODE     ASSIGNED     HOURS WCODE    ASSIGNED   HOURS  WCODE
   55C          .5   1Ø86        Ø5P
---------------------------------------------------------------------
 PRIMARY WC/C  ACTUAL        SECOND WC/C   ACTUAL         THIRD WC/C   ACTUAL
 PERFORMING    HOURS         PERFORMING    HOURS          PERFORMING   HOURS
---------------------------------------------------------------------
 TOTAL COST:  $    Ø                              CRAFTSMAN:CLIFFORD
---------------------------------------------------------------------
          ***  MATERIAL REQUIRED - DETAILED LINE ITEMS  ***
---------------------------------------------------------------------
 MANUFACTURER           MODEL   CATALOG #  PAGE SERIAL #  VENDOR  RECEIVED BY
---------------------------------------------------------------------
 NORTON                 788-F  92          163            AMERLOC
---------------------------------------------------------------------


---------------------------------------------------------------------
          ***  MATERIAL REQUIRED - GENERIC LINE ITEMS  ***
---------------------------------------------------------------------
 MATERIAL DESCRIPTION                 QUANTITY  UNITS  PART NUMBER
---------------------------------------------------------------------
 CLOSER,DOOR,HYDRAULIC,BRONZ             2       EA      149A
---------------------------------------------------------------------

---------------------------------------------------------------------

---------------------------------------------------------------------

---------------------------------------------------------------------
```

*** REPORT SELECTION STATUS ***

REPORT NUMBER: Ø5

REPORT TITLE: CUSTOMERS FOR OCTOBER 1985

FILE SELECTION: HISTORY

SELECTION CRITERIA:

ITEM NO	VALUE(FROM)	VALUE(TO)
Ø3	Ø1	
Ø8	851ØØ1	851Ø31

SORT SEQUENCE: ITEM 1:   Ø5   PAGE BREAK 1 - ITEM NO: Ø5
                ITEM 2:   Ø6   PAGE BREAK 2 - ITEM NO:
                ITEM 3:
                ITEM 4:
                ITEM 5:

JOB ORDER NO.	DESCRIPTION		REC'D	WC/1	WC/2	WC/3	COST	CC	DLY
WO LCC INV			STRTD	S-HR	S-HR	S-HR	T-ST	BLDG	NO.
EQP NO			CMPLTD	A-HR	A-HR	A-HR	T-ACT	WORK	LOC
CALLER		PHONE NO.	STATUS	CRAFTSMAN					
5N4ØØØ	REPAIR		851ØØ9	68A				A	B
68368 Ø1	LINE		851ØØ9	1.1			1.1	72	
	WATER LEAK		851Ø1Ø	6.Ø			6.Ø	N.E.	
PAM		X4294	H MAURICE					CORN.	
5N4ØØØ	CHANGE		851Ø1Ø	55E				A	B
68372 Ø1	2 FLO		851Ø1Ø	.6			.6	52	
	FIXTURE		851Ø1Ø	.5			.5	2ND	
DEBGODA		X4314	H ANA					DECK	
5N4ØØØ	REPAIR		851Ø1Ø	62A	61E	55P		A	B
68421 Ø1	CIRCUIT		851Ø1Ø	1.1			1.1	45	
	BREAKER		851Ø1Ø	.5			1.Ø	3.Ø	.5
JOHN		X4294	H BILL/STEPHEN						
2A23Ø8	CHECK AND		851Ø11	55E				A	
69288 Ø1	REPAIR		851Ø11	3.1			3.1	1115A	
	STOVE		851Ø11	2.Ø			2.Ø	NITE	
CASTRO		4833Ø36	H CRIBBS						
2A24Ø9	CHECK AND		851Ø11	55E				A	
69289 Ø1 FUR	REPAIR		851Ø12	.4			.4	1125A	
	FURNACE		851Ø13	2.Ø			2.Ø	NITE	
BARCHETT		4861286	H CRIBBS						
2N5Ø1Ø	UNLOCK		851Ø11	55L				A	
69835 Ø1	INOPERATIVE		851Ø12					835	
	DOOR LOCK		851Ø13	1.Ø			1.Ø	BLDG	
RICK		X4161	H BISHOP						

JOB ORDER NO.	DESCRIPTION	REC'D	WC/1	WC/2	WC/3	COST	CC	DLY
WO LCC INV		STRTD	S-HR	S-HR	S-HR	T-ST	BLDG NO.	
EQP NO		CMPLTD	A-HR	A-HR	A-HR	T-ACT	WORK LOC	
CALLER	PHONE NO.	STATUS	CRAFTSMAN					
2N5010	UNPLUG	851001	55P				B	
67950 01	CLOGGED	851001	4.0			4.0	61	
	FLOOR DRAINS	851001	2.0			2.0	MESS DECK	
KATHY	X5900	H	SAABYE					
2A2407	UNPLUG	851001	55P				B	
68837 01	CLOGGED	851001					1082A	
	COMMODE/TUB	851001	3.1			3.1	BATHRM	
RANDALL		H	PARADA					
2N5010	REPAIR	851002	62A				B	
69920 01	LEAKING	851002	.5			.5	352	
	FOUNTAIN	851002	2.0			2.0	BLDG	
MARY	X5351	H	OSCAR					
2U4000	REPAIR	851002	63T				B	
70086 01	INOPERATIVE	851002						
	PHONE	851002	2.0			2.0		
MCB QTR DK	X4571	H	JONES					

JOB ORDER NO. WORK ORDER	LCC	DESCRIPTION (NOUN) EQP NUMBER	DATE RECD	DATE STRT	DATE COMP	CC	BUILDING STATUS	WORK LOCATION
2A1407 28213	Ø1	SEWER LINE	287	287	287	PH	962D H	BLDG
2A1407 28264	Ø1	KITCHEN SINK PIPE	288	288	288	PH	943C H	NITE
2A1407 28473	Ø1	COMMODE	288	288	288	PH	986D H	BATHROOM
2A1407 28514	Ø1	ELECTRICAL OUTLET	288	288	288	PH	960B H	HOUSE
2A1407 28767	Ø1	TOILET	288	288	288	PH	950A H	BATHROOM
5N4000 68054	Ø1	WINDOW SCREEN	279	279	279	PW	323 A	
5U4002 68059	Ø1	DOOR CLOSER	279	279	279	PW	560 A	2ND DECK
5N4000 68070	Ø1	SOLENOID VALVE	279	279	279	PW	433 A	
5A4108 68123	Ø1	TRASH CANS	279	279	279	PW	1126A A	
5N4000 68138	Ø1	FLOOR TILE	279	279	279	PW	61 A	VARIOUS
5A4109 68279	Ø1	DRAIN	281	281	281	PW	968 A	BATH/UTILI
5N4000 68294	Ø1	FIRE ALARM	281	281	281	PW	55 A	
5M4000 68295	Ø1	FIRE ALARM	281	281	281	PW	56 A	
5N4000 68391	Ø1	DOOR CLOSER	281	281	281	PW	50 A	WAREHOUSE
5A4151 68624	Ø1	STOVE	281	281	281	PW	943C A	KITCHEN
5U4356 68626	Ø1	COMPRESSOR	281	281	281	PW	7 A	

JOB ORDER NO.	DESCRIPTION OF WORK	(VERB, ADJECTIVE, NOUN)	
WO # LCC CC	BLDG NO.	WORK LOC	INV EQP NO	CALLER
DATE REC'D	DATE START	DATE COMP	STATUS	PHONE NO

```
2A010          REMOVE                    DEBRIS              FROM GUTTER
28649 10 A     952F        BLDG                              HANEY
85 10 04       85 10 05    85 10 05   H                      5558725


2A1038         DISCONNECT                CONNECT             STOVE
28313 01 A     973B        KITCHEN                           WRIGHT
85 10 22       85 10 22    85 10 22   H                      555-0876


2A1102         SPRAY                     HOUSE FOR           SPIDERS
28258 01 A     962C        HOUSE                             RODRIGUEZ
85 10 22       85 10 24    85 10 24   H                      4861873


5N4000         REPAIR                    RUNNING             SHOWER
70010 01 B     69          OFC SHR                           PAM
851022         851022      851022     A


5N4000         REPLACE                   3' COVER            FIXTURE
70145 01 B     1164                                          ENCARNACION
851022         851022      851022     A


5N4001         RELAMP                    4 LIGHTS            FIXTURE
70935 01 B     1181        MAIN/EAST                         CROOK
851022         851022      851022     A


5N4028         SECURE                    BOTTOM OF           FENCE
71010 01 B     5068        TENNIS CT         5B107           JOHANSEN
851022         851022      851022     A


5N4001         REPAIR                    CIRCULATING         PUMP
71076 01 B     1182        EQUIP RM    EQR                   BARNEY
851022         851022      851022     A
```

*** SUMMARY REPORT ***

TOTAL RECORD FOUND: 10000

		TOTAL

A.	JOBS FOUND	10000
B.	COMPLETED JOBS	8000
C.	UNCOMPLETED JOBS	2000
D.	AVE. COMPLETED HOURS (H/B)	5.3
E.	AVE. TURNAROUND TIME (DAYS)	3.1
F.	AVE. COST (DOLLARS)	20.3

		TOTAL	W/P705 STD	W/O P705 STD

G.	ESTIMATED HOURS	40000.0	39000.0	1000.0
H.	COMPLETED HOURS	42000.0	41000.0	1000.0
I.	UNCOMPLETED HOURS	3000.0	2500.0	500.0
J.	P705 USAGE/NONUSAGE (G/G1*100%)	100.0%	97.5	2.5%
K.	LABOR PERFORMANCE ((G-1)/H*100%)	88.1%	89.0%	50.0%

| L. | EPS UTILIZATION ((G2-I2)H1*100%) | *** 86.9% *** |

```
NUM  REPORT TITLE                              FORMAT         FILE
          SELECTED DATA ELEMENTS                              SORT PG
   ITEM NO  DATA ELEMENT     FROM VALUE      TO VALUE         SEQ BRK
-------------------------------------------------------------------------
Ø3    EQUIPMENT FAILURE                       ON-HOUSE STATUS   ACT

   1. Ø6   DATE RECEIVED    86Ø2Ø1          86Ø7Ø1               Ø6
   2. 24   EQUIPMENT NO     324             324
   3.
   4.
   5.


Ø7    JOBS COMPLETED IN AFTER JANUARY (WCC 51C ONLY)  IN-HOUSE STATUS   HIST

   1. 16   PRIM WC/C PERF   51C
   2. Ø6   DATE RECEIVED    85Ø1Ø1          851Ø3Ø               Ø6
   3.
   4.
   5.


Ø1    INDEX OF BLDG 4Ø                        OPERATOR'S INDEX  ACT

   1. 24   EQUIPMENT NO     4Ø              4Ø
   2.
   3.
   4.
   5.


Ø1    STATUS OF CUSTOMER JOBS                 CUSTOMER STATUS   ACT

   1. Ø5   CUSTOMER CODE    L               Q                    Ø5    Ø5
   2.
   3.
   4.
   5.


Ø1    SUMMARY REPORT OF BUILDING 4Ø JOBS      SUMMARY REPORT    BOTH

   1. 24   EQUIPMENT NO     4Ø              4Ø                         24
   2.
   3.
   4.
   5.
```

CODE	CUSTOMER
1111	US COAST GUARD TEST
1234	CESO TEST SITE
3333	CESO TEST DATA
4444	US NAVY
5555	US NAVY
789Ø	US NAVY
A	ADMIN
B	MILAFF
C	UNASSIGNED
D	UNASSIGNED
F	PORSVC
G	CED
H	HOSP
J	DENTAL
K	EXCH
L	CESO
M	COMMST
N	CECOS
P	CEL
PH	HOUSO
PW	PUBWKS
Q	NCTC
R	FACSO

```
        ***   EMERGENCY SERVICE SYSTEM  ***      DATE:  86 05 01
        ***   END OF YEAR HISTORY PURGE  ***

-----------------------------------------------------------------------
FILE NAME                   NUMBER OF                    PURGE DATE
                            RECORDS

   ES85 HESFILE               5000                       85 10 01

   ES85 HESMATL               2000                       85 10 01
```

APPENDIX B

Summary Report Statistic Definitions

APPENDIX B

Summary Report Statistic Definitions

A. JOBS FOUND. The total number of work orders found which met the Selection Criteria specified for the report.

B. COMPLETED JOBS. The number of work orders found which have been completed (such as, status of COMPLETED or HISTORY).

C. UNCOMPLETED JOBS. The number of work orders which have not been completed (such as, status of ACTIVE).

D. AVERAGE COMPLETED HOURS. The result of the Completed Hours Total divided by the Completed Jobs Total. (H/B)

E. AVERAGE TURN-AROUND TIME (days). The sum of the difference between the date completed and the date received in days for all jobs found, divided by Jobs Found [(Date completed - Date Received)/Jobs Found)].

F. AVERAGE COST (dollars). The sum of the total costs for all jobs found, divided by Jobs Found (Total cost/Jobs Found).

Lines G through K are calculated for three individual columns:

TOTAL (Column 1) - includes all work center/craft hours in Jobs Found.

W/P7Ø5 STD (Column 3) - includes all work center/craft hours in Jobs Found which have a related Local Standard work code or for which no work code exists.

W/O P7Ø5 STD (Column 3) - includes all work center/craft hours in Jobs Found which have a related Local Standard work ccode or for which no work code exists.

G. ESTIMATED HOURS. The sum of all estimated standard hours for work center/crafts in Jobs Found meeting column criteria.

H. COMPLETED HOURS. The sum of all actual completed hours for work center/crafts in Jobs Found meeting column criteria.

I. UNCOMPLETED HOURS. The sum of all estimated standard hours for work center/crafts not having actual completed hours in Jobs Found, meeting column criteria

J. P7Ø5 USAGE/NONUSAGE. The percentage of estimated hours determined by using P7Ø5 and non-P7Ø5 methods. P-7Ø5 usage is a result of total estimated hours divided by W/P7Ø5 standard hours multiplied by 1ØØ%. (G2/G1 x 1ØØ%)
P7Ø5 Nonusage is a result of total estimated hours divided by W/o P7Ø5 standard hours multiplied by 1ØØ%. (G3/G1 x 1ØØ%).

K. LABOR PERFORMANCE. Percentage to measure how closely work center/craft work performance is to estimated hours for labor performed. The result of estimated hours minus uncompleted hours, divided by completed hours multiplied by 100%. [G-I)/H x 100%]

L. EPS UTILIZATION. Percentage expressing what fraction of completed work hours was estimated utilizing P-705 standard hours for the work accomplished. The result of estimated hours w/P705 standard minus uncompleted hours w/P705 standard, divided by completed hours total, and multiplied by 100%.
[(G2 - I2)/H1 x 100%]

APPENDIX C

NAVFAC P-7Ø5 NOUNS

NAVFAC P-705 Nouns

A/C CENTRAL UNIT	BRIDGE LIGHTS	CORD
A/C PACKAGE UNIT	BROILER	COUNTER BALANCE
A/C, WINDOW	BUFFER	COUNTERTOP
ACOUSTICAL TILE	BULLETIN BOARD	COVER
AIR COMPRESSOR	BUMPER LOGS	COVER PLATE
AIR CONDITIONER	BURNER	COVERS
AIR HOSE	BUSHING	CRANE
AIR PURIFIER	BUZZER	CURTAINS
ALARM	CABINET	CYPHER LOCK
AMPLIFIER	CABINET LOCK	DAMPER
ANIMALS	CABLE	DESK
ANTENNA	CANVAS AWNING	DESK LOCK
ANTENNA LEAD-IN	CAPACITOR	DIFFUSER
APPLIANCE	CARPET	DISHWASHER
ASPHALT	CAULK	DISPOSAL
ASPHALT TILE	CEILING	DOOR
AUTOCLAVE	CEILING PANELS	DOOR CLOSER
AWNING	CEILING TILE	DOOR KNOB
BALLAST	CEILING TILES	DOOR LOCK
BANDSAW	CERAMIC TILE	DOOR PULL
BARRICADE	CHAIN	DOOR STOP
BASEBOARD	CHAINLINK FENCE	DOOR, HANGAR
BASEBOARD HEATER	CHAINS	DOOR, HANGER
BASIN	CHAIR	DOOR, OVERHEAD
BATH TUB	CHANDELIER	DOOR, STORM
BATHROOM	CHARTBOARD	DOORBELL
BATHTUB	CHLORINATOR	DOWNSPOUTS
BATTERIES	CIRCUIT	DRAIN
BATTERY CHARGER	CIRCUIT BREAKER	DRAPERIES
BEARINGS	CIRCULATING FAN	DRAPES
BED PAN WASHER	CLEAN	DRINKING FOUNTAIN
BED, HOSPITAL	CLOCK	DRYER
BEER COOLER	CLOTHES DRYER	DUCT WORK
BEES	CLOTHESLINE	DUCTWORK
BEES/WASPS	COAT HOOKS	EARTH MOVING
BELL	COIL	ELECTRIC CYPHER LOCK
BELT	COMMODE	ELECTRIC DOOR
BELT SANDER	COMPRESSED AIR	ELECTRIC HEATER
BIRD NEST	COMPRESSOR	ELECTRIC METER
BLACKBOARD	CONCRETE	ELECTRIC MOTOR
BLADE	CONDENSATE LINE	ELECTRIC PLUG
BLINDS	CONDENSER	ELECTRICAL CHECK
BOILERS	CONDUIT	ELECTRICAL CONNECT
BOLT	CONTACT	ELECTRICAL FIXTURE
BOOSTER PUMP	CONTACTS	ELECTRICAL GROUND
BOX	CONTAINER	ELECTRICAL MOTOR
BRACKETS	CONVEYOR	ELECTRICAL SWITCH
BREAKER	COOLER	ELEVATOR
BRIDGE	COOLING TOWER	EMERGENCY LIGHT

EQUIPMENT STAND	GUTTERS	MEAT SLICER
EXCAVATE	GUY WIRE	MEDICINE CABINET
EXHAUST FAN	GYPSUM BOARD	METAL COVER
EXPANSION JOINT	HAMBURGER MACHINE	METAL DOOR
EXPANSION PLATE	HAND SAW	METAL LADDER
FAN	HANDLE	METAL SIGN
FAUCET	HANDLES	METAL WINDOW
FEEDER LINE	HANDRAIL	METER
FENCE	HANGAR DOOR	METER READING
FIBERBOARD	HANGER DOOR	METER, WATER
FILE CABINET	HARDWARE	MILLING MACHINE
FILE CABINET LOCK	HASP	MIRROR
FILTER	HEATER	MOLDING
FILTER, AIR	HEDGE	MOTOR
FIRE ALARM	HIGH TENSION LINE	MOTOR, ELECTRIC
FIRE DOOR	HINGE	MOVE
FIRE ESCAPE	HOIST	MOWING
FIRE EXTINGUISHER	HOSE	NITROGEN CYLINDER
FIRE HYDRANT	HOSE BIB	NON-SKID
FIRE SPRINKLER	HYDRAULIC PUMP	OIL CHANGE
FLOODLIGHT	ICE MAKER	OIL COOLER
FLOOR	INCANDESCENT	OIL LEAK
FLOOR DRAIN	INCANDESCENT LIGHT	OUTLET COVER
FLOORING	INSECTS	OVEN
FLUORESCENT	INSULATION	OVEN, ROTARY
FLUORESCENT LIGHT	INTERCOM	OVERHEAD DOOR
FLUSH	INTRUSION ALARM	OXYGEN CYLINDER
FORMICA COUNTERTOP	JALOUSIES	PA SYSTEM
FOUNTAIN	JUICE MACHINE	PAINT
FRAME	KEY	PANEL BREAKER
FREEZER	KITCHEN EQUIPMENT	PANEL, ELECTRICAL
FUEL PUMP	KNOB	PANS
FURNACE	LADDER	PARKING
FURNITURE	LAGGING	PARTITION
FUSE	LATHES	PEST CONTROL
FUSE BOX	LAUNDRY	PHOTOCELL
GARBAGE DISPOSAL	LAWN MOWING	PICTURE FRAME
GAS CYLINDER	LAWN SPRINKLER	PIPE
GAS HEATER	LAWNMOWER BLADE	PIPE FITTING
GAS LINE	LIGHT	PLAQUE
GAS TANK CHAINS	LIGHT FIXTURE	PLASTER
GASOLINE PUMP	LINE, GAS	PLATE
GATE	LINE, STEAM	PLAYGROUND EQUIPMENT
GENERATOR	LINOLEUM COUNTERTOP	PNEUMATIC TUBE
GLASS	LOCK	POLE, POWER
GRILL	LOUVERED DOOR	POLISHER
GRILL, DUCT	LUBRICATION	PORCH
GRINDER	MACHINE	POST
GROUND, ELECTRICAL	MAILBOX	POTATO PEELER
GROUT	MAIN STEAM LINE	POWER CHECK
GSA PARTITION	MANHOLE COVER	PRESS, HAND
GUARD RAIL	MANUAL DOOR	PULL CHAIN
GUARD, MACHINE	MAP	PULLEYS

PUMP

PUMP, SUMP

RADIATOR

RAIL

RAILS

RANGE

RECEPTACLE

RECEPTACLE, ELECTRIC

REFRIGERATION

REFRIGERATOR

RHEOSTAT

ROADS

ROOFING

SAFE

SAFETY CHAINS

SALAD BAR

SANDBLAST

SANDER

SANITATION

SAW

SAW BLADE

SCREEN

SCREEN DOOR

SEAL

SECURITY ALARM

SECURITY FENCE

SECURITY SCREEN

SEPTIC TANK

SERVICE DROP

SEWAGE

SEWAGE PUMP

SHADES

SHAFT

SHAMPOOER

SHELF

SHELVING

SHINGLES

SHIP TO SHORE

SHOE MOLDING

SHOWER

SHOWER CURTAIN ROD

SHOWER DRAIN

SHOWER HEAD

SIGN

SIGN POST

SIGNS

SINK

SINK DRAIN

SLIDING DOOR

SOAP DISH

SOCKET

SOIL

SOLENOID

SPACE HEATER

SPEAKER

SPRING

SPRINKLER

STAIRS

STALL

STARTER

STEAM

STEAM GAUGE

STEAM KETTLE

STEAM LINE

STEAM PRESS

STEAM REGULATOR

STEAM TABLE

STEAM WASHER

STEPS

STORM DOOR

STORM DRAIN

STORM WINDOW

STOVE

STREET LIGHT

STREETS

SUMP PUMP

SUSPENDED CEILING

SWING SET

SWITCH

TABLE

TELEPHONE

TELEPHONE STAND

TELETYPE

TEMP ELEC SERVICE

TERMITE CONTROL

THERMOSTAT

THRESHOLD

TILE

TIME CLOCK

TOASTER

TOILET

TOILET PAPER HOLDER

TOOTH BRUSH HOLDER

TOWEL RACK

TRANSFORMER

TRAP

TRASH REMOVAL

TRAYS

TREE TRIMMING

TREES

TROLLEYS

TUB DRAIN

TUB/SHOER

TV ANTENNA

URINAL

V-BELT

VACUUM

VACUUM CLEANER

VALVE

VANITY

VAULT

VEGETABLE COOLER

VENETIAN BLINDS

VENT

VOLTAGE

VOLTAGE READING

WALK-IN REFRIGERATOR

WALL

WALL CABINET

WALLBOARD

WALLS

WARNING LIGHT

WASH WALLS

WASHBASIN

WASHER

WATER

WATER COOLER

WATER FOUNTAIN

WATER HEATER

WATER LEAK

WATER LINE

WATER PIPE

WATER PRESSURE

WEATHER STRIPPING

WELD

WINDOW

WINDOW A/C UNIT

WINDOW SCREEN

WINDOW, STORM

WIRE

WIRE REPAIR

WOOD DOOR

WOOD FENCE

WOOD SIGN

WOODEN DOOR

APPENDIX D

REPORT SELECTION EXAMPLES

APPENDIX D

Report Selection Examples

OPERATOR	FROM	TO	RESULT
EQ (=)	40		SELECTS ONLY RECORDS WITH BLDG NO. EQUAL TO 40.
EQ (=)	40	40	SELECTS ONLY RECORDS WITH BLDG NO. EQUAL TO 40.
LE (<=)		40	SELECTS ALL RECORDS WITH BLDG NO. EQUAL TO TO 40 OR LESS.
GE (>=)	40	ZZZZZZZZZZ	SELECTS ALL RECORDS WITH BLDG NO. GREATER THAN OR EQUAL TO 40. (INCLUDING BLDG NUMBERS BEGINNING WITH ALPHA CHAR)
GE (>=)	40	9999999999	SELECTS ALL RECORDS WITH BLDG NO. GREATER THAN OR EQUAL TO 40. (EXCLUDING BLDG NUMBERS BEGINNING WITH AN ALPHA CHAR)
RANGE (>= AND <=)	40	100	SELECTS ALL RECORDS WITH BLDG NO. GREATER THAN OR EQUAL TO 40 AND LESS THAN OR EQUAL TO 100.

NE (NOT =)   THIS FUNCTION IS NOT AVAILABLE

NOTE1:   THE EXAMPLES ABOVE ARE SHOWN USING THE BLDG NO. FIELD AS A BASIS
FOR RECORD SELECTION. BLDG NO. IS A 10 CHAR ALPHANUMERIC FIELD.

NOTE2:   MULTIPLE SELECTIONS HAVE AN 'AND' IMPLIED. THIS MEANS A RECORD
MUST MEET ALL OF THE CRITERIA SELECTIONS BEFORE IT WILL BE
SELECTED FOR THE REPORT.

NOTE3:   ALPHANUMERIC FIELD COMPARISON ARE MADE FROM LEFT TO RIGHT, ONE
CHARACTER AT A TIME.   THE CHART BELOW INDICATES THE COMPARISON
SEQUENCE USED WHEN COMPARING ALPHANUMERIC FIELDS:

    BLANK SPACE   (LOWEST)
    DASH   (-)
    NUMERICS   (0 THRU 9)
    ALPHAS   (A THRU Z)

FOR EXAMPLE, THE FOLLOWING BLDG NUMBERS ARE RANKED FROM LOWEST TO HIGHEST:

30
40
40-A
400
4000
401
40A
410
50
500
A
ANNEX
B